




TRADE CATALOGUE

2023/2024




Page 15

BCTW02



Page 37

711



Page 43

0-443-27



Page 48

BAESBW1/S



Page 56

BARL55400



Page 65

LEDFLBA01



Page 68

ZPIOMVHS120UB



Page 80

BAEDC600S12110LL



Page 26


0-011-32

All the latest offers with
FREE DELIVERY
within 50 miles

www.bae-bristol.co.uk



For prices sign up free at:
www.bae-bristol.co.uk



10% OFF
 FIRST ONLINE
 ORDER*

CODE: BAE101

Redeem at checkout.

*One use per account. Applies to Retail and Trade accounts. Redeemable online only. Not valid with any other offers.

Retail

Signing up for a retail account is easy, simply visit our site and register.

www.bae-bristol.co.uk/retail/registration

We offer free delivery on any order when you use our Bristol Auto Electrical Van Delivery Service.

Covering the following postcodes: BS, SN, BA, SP, GL, NP, DT, TA, SO



Trade

New Customers

Request an account from our accounts team or fill out the trade registry form.

www.bae-bristol.co.uk/trade/registration

After a brief approval process, you'll be able to view your prices and begin ordering online!



Existing Customers

E-mail the web team at web-team@bae-bristol.co.uk or call us on **01373 866009** and we'll link your account so that you can view prices and begin ordering online.

You will need your Bristol Auto Electrical account number and Business details.

Rear Camera Systems	4 - 9
Cables & Accessories	9 - 17
Terminals	17 - 27
Fuses	28 - 34
Switches & Relays	34 - 36
Bulbs	36 - 42
Light Bars	43 - 45
Beacons	45 - 48
Marker Lamps	49 - 52
Rear Lamps	52 - 60
Plugs, Sockets & Adaptors	61
Work Lamps, Work Bars & Forklift Lamps	62 - 65
Inspection Lamps & Interior Lamps	65 - 67
Horns & Reversing Alarms	67 - 68
Audio Components	68 - 72
Wiper Blades	72 - 74
Consumables	75 - 76
Heaters & Solar Panels	77 - 78
Batteries, Chargers & Boosters	78 - 85
Miscellaneous	85 - 88
Servicing	89-93

5" AHD Rear Camera System

- DC 12V - 36V
- 5"(AHD) Analogue High Definition
- Video inputs: 2-CH inputs
- 16:9 wide screen
- Digital SONY CCD camera with audio
- Support 1080P high resolution
- IR light vision, 18pcs LED lights
- Shockproof degree 6.8G
- Waterproof to IP66



Part No.	Cameras
BAECSAHD5	1
BAECSAHD5/2	2

7" AHD Rear Camera System



- DC 12V-36V.
- Digital SONY CCD camera with audio
- 7"(AHD) Analogue High Definition
- 2-CH inputs, 16:9 wide screen
- Support 1080P high resolution
- IR light vision, 18pcs LED lights
- Shockproof degree: 6.8G
- Waterproof to IP66
- Shockproof
- Night vision Camera

Part No.	Cameras
BAECSAHD1	1
BAECSAHD1/2	2

AHD 7" High Resolution Digital Camera System



- 9V-36V
- 7"(AHD) Analogue High Definition
- 16:9 Widescreen
- 1024x600px
- 2-CH Inputs
- Waterproof to IP69K
- 10G Shock Protection

Part No.	BAECSAHD2
----------	-----------

7" AHD Wireless Rear Camera System



- DC 12V-36V.
- Digital CCD camera with audio
- 7"(AHD) Analogue High Definition
- 2-CH inputs, 16:9 wide screen
- Support 1080P high resolution
- IR light vision, 18pcs LED lights
- Shockproof up to 6.8G
- Waterproof to IP66
- Night vision Camera

Part No.	Cameras
BAECSAHD7W	1
BAECSAHD7W/2	2

Heavy Duty Rear Camera

- 12V
- Microphone
- IP67 rating
- 108° Angle
- Extension cable
- IR Night vision
- 10G shock protection



Part No.	BAECSC6B
----------	----------

Side Mount Camera

- 12V
- IP67K rating
- 120° Angle
- 4P Connection
- 1/3 Colour CCD/CMOS
- 10G shock protection



Part No.	BAECSC3S
----------	----------

AHD Heavy Duty Rear Camera

- 12V
- Microphone
- IP69K rating
- 120° Angle
- 4P Connection
- IR Night vision
- 10G shock protection



Part No.	BAECSC6
----------	---------

AHD Side Mount Camera

- 12V
- IP67K rating
- 120° Angle
- 4P Connection
- 1/3 Colour CCD/CMOS
- 10G shock protection



Part No.	BAECSC3SAHD
----------	-------------

Front View Window Camera

- 12V
- NTSC/PAL
- IP69K rating
- 110° Angle
- 4P Connection
- 1/3 Colour CCD
- 10G shock protection



Part No.	BAECSC7
-----------------	---------

Shark Mount Rear Camera



- 960x480 px
- NTSC/PAL
- IP68 rating
- 120° Angle
- 4P Connection
- 1/3 CCD/CMOS
- 10G shock protection

Part No.	BAECSC9
-----------------	---------

7" TFT Digital Monitor

- 7" TFT monitor support 2CH input
- Image: 16:9
- PAL or NTSC
- 12/24V DC
- Power consumption: 5W
- Dimensions: 261 (L) x 177 (W) x 70 (D)
- CE,EMC,FCC,ISO9001 : 2008,E8



Part No.	BAECSM2B
-----------------	----------

7" Mirror Monitor

- 12/24 V
- 7" TFT Screen
- Two video inputs
- Clip on



Part No.	BAECSM7
-----------------	---------

Mercedes Sprinter 7" Mirror Monitor Kit



Bundle Includes:
 1 x Mercedes Sprinter Reverse View High Level Brake Light Camera (NTSC)
 1 x BAECSM7 7" Digital Clip on Mirror Monitor 12/24V LCD

- 7 Inch TFT-LCD(16:9)
- Two video inputs
- 12/24 volt
- Format:PAL/NTSC
- Resolution:480(W)xRGBx234(H)
- Power supply: DC 12V
- Video: 2-channel video input, V1/V1 switching

Mercedes - Sprinter (W906) NCV3 (2007 - 2018)

Mercedes - Sprinter (W907/910) VS30 (2019 >)

Part No.	BAECSM7/5
-----------------	-----------

7" Waterproof Monitor

- 9 - 26V
- 7" Screen
- 800 x 480 px
- 5:3 Aspect ratio
- IP69K Rating



Part No.	BAECSM2WP
-----------------	-----------

7" Quad Control Monitor

- Built-in Quad controller
- Auto power up
- Day/Night mode
- Remote control
- 4 Camera inputs
- Mirror/Normal image



Part No.	BAECQC1
-----------------	---------

7" Water Proof Monitor System 12/24V



Bundle includes:

- 1 x BAECSC6B Heavy Duty Rear View Camera
- 1 x BAECSM2WP 7" Waterproof Monitor
- 1 x Brigade VBV-L420 – 20 Metre Select Camera Cable

- Water-proof rating: IP69K
- Lens angle: 2.8mm 120°
- RCA connector or 4PIN
- Horizontal Resolution: 800 TV lines
- PAL/NTSC

Part No.	Cameras
BAECS2BWP1	1
BAECS2BWP2	2

4.3" Rear View Camera System



PSVT43A1WP

- 12/24V
- 4.3" colour screen
- 1/3" 1/4 Colour CCD/CMOS
- 2 camera inputs with cam select button
- Aluminium alloy camera housing
- 4 pin internal cable connection
- Includes infrared ball camera
- 5m extension cable
- IP69k water resistance

5.6" Screen and Camera Kit

- 12-24V
- 5.6" Colour Screen
- 2 camera inputs with cam select button
- Infrared Camera 1/4inch Lens angle: 110°
- Camera has IP68 approval
- 20M extension cable



Part No.	Cameras
PSVT562BC	1
PSVT562BC/2	2

7" Screen and Camera Kit



- 12-24V
- 7" Colour Screen
- 2 camera inputs with cam select button
- Infrared Camera 1/4inch Lens angle: 110°
- Camera has IP68 approval
- 20M extension cable

Part No.	Cameras
PSVT70BC	1
PSVT70BC/2	2

Direct Vision Standard Kit



- TM70BC Monitor
- Side mount camera
- Side scan system
- GPS module
- Left turn speaker
- Safety sign
- 5m cable

PSVTDVS

Parking Sensor Kit



4 Sensor buzzer car parking sensor kit.

Reverse radar sound alert indicator system.

BAEPS1

Self Learning Parking Sensor Kit



Intelligent, self learning, 4 Sensor buzzer car parking sensor kit.

Reverse radar sound alert indicator system.

BAEPS2

Reverse Sensor System with Buzzer 12/24volt

This intelligent ultrasonic sensor is designed for commercial vehicles such as vans, motor-homes and heavy duty vehicles.

The system provides active warning with visual and audible beeping alerts you to objects as far as 2.4M.

What's more, its ELM function can memorise certain objects, like backup tyres, and avoid them from being detected.

This fully integrated safety solution is compatible with any of PSVT camera and monitor.

- Current Consumption: MAX 300mA
- Ultrasonic Frequency: 58KHz±2KHz
- Tone Frequency: 1000±200Hz
- Detection Range: 0-240cm
- OSD TV system: NTSC/PAL
- Waterproof: IP68
- Video Signal: 1.0Vp-p at 75 ohm
- Operational voltage: DC10v-32v
- Storage Temp: -40° to +85°
- Operation Temperature: -20 to +70°



PSVTCB127BUZ


Flexible PVC Battery & Starter Cable (10m)



Available in red or black

Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Colour
BC934R/10	196/0.40	170	Red
BC935R/10	315/0.40	300	Red
BC936R/10	396/0.40	345	Red
BC934B/10	196/0.40	170	Black
BC935B/10	315/0.40	300	Black
BC936B/10	396/0.40	345	Black

Flexible PVC Battery/Welding Cable (10m)



Available in red or black

Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Colour
BCPVC16B/10	206/0.30	110	Black
BCPVC20B/10	266/0.30	135	Black
BCPVC25B/10	322/0.30	170	Black
BCPVC35B/10	451/0.30	240	Black
BCPVC40B/10	539/0.30	300	Black
BCPVC50B/10	640/0.30	345	Black
BCPVC70B/10	905/0.30	485	Black
BCPVC16R/10	206/0.30	110	Red
BCPVC20R/10	266/0.30	135	Red
BCPVC25R/10	322/0.30	170	Red
BCPVC35R/10	451/0.30	240	Red
BCPVC40R/10	539/0.30	300	Red
BCPVC50R/10	640/0.30	345	Red
BCPVC70R/10	905/0.30	485	Red

Speaker Twin Cable (30m)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)
BC224/30	2 x 24/0.20	6
BC232/30	2 x 32/0.20	10

Cable Ties - Black (100 pcs)



Part No.	Length (mm)	Width (mm)
AMCT402	100	2.5
AMCT403	140	3.6
AMCT4032	295	3.6
AMCT406	200	4.8
AMCT4061	295	4.8
AMCT4062	370	4.8
AMCT408	200	7.9
AMCT409	290	7.6
AMCT4091	370	7.6
AMCT4092	450	8

Sticky-Back Cable Tie Base (25 pcs)



Part No.	Size	Colour
0-002-41	28 x 28mm	Black
0-002-51	28 x 28mm	White

PVC Cable (Single core)



For a full list of available colours; visit our website

www.bae-bristol.co.uk

Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length (Metres)
BC114/50	14/0.30	8.75	50
BC128/50	28/0.30	17.5	50
BC144/50	44/0.30	27.5	50
BC165/30	65/0.30	35	30

Flat PVC Cable (Twin core)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length (Metres)
BC214/30	2 x 14/0.30	8.75	30
BC214/100	2 x 14/0.30	8.75	100
BC228/30	2 x 28/0.30	17.5	30
BC228/100	2 x 28/0.30	17.5	100

PVC Cable (3 Core)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length (Metres)
BC314/30	3 x 14/0.30	8.75	30

PVC Cable (5 Core)




Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length (Metres)
BC514/30	5 x 14/0.30	8.75	30

PVC Cable (7 Core)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length (Metres)
BC714H/30	6 x 14/0.30	8.75	30
	1 x 28/0.30	17.5	
BC714H/100	6 x 14/0.30	8.75	100
	1 x 28/0.30	17.5	

Thin Wall Cable (Single core)



For a full list of available colours; visit our website
www.bae-bristol.co.uk

Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Available Lengths (Metres)
BCTW0.5	16/0.20	11	50,100,500
BCTW0.75	24/0.20	14	50,100,500
BCTW1.0	32/0.20	16.5	30,50,100,500
BCTW1.5	21/0.30	21	50,100,500
BCTW2.0	28/0.30	25	30,50,100
BCTW2.5	35/0.30	29	50,100
BCTW3.0	44/0.30	33	30,100,300
BCTW4.0	56/0.30	39	30,100,300
BCTW4.5	65/0.30	42	30,100
BCTW6.0	84/0.30	50	30,100,300
BCTW7.0	97/0.30	57	30,100
BCTW8.5	120/0.30	63	30,100
BCTW10.0	80/0.40	70	30, 100

Thin Wall Cable (Three core)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length Metres
BCTW03/01/30	3 x 32/0.20	16.5	30
BCTW03/01/100	3 x 32/0.20	16.5	100

Flat Thin Wall Cable (Twin core)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length Metres
BCTW02/06/100	2 x 16/0.20	11	100
BCTW02/04/30	2 x 24/0.20	14	30
BCTW02/01/30	2 x 32/0.20	16.5	30
BCTW02/01/100	2 x 32/0.20	16.5	100
BCTW02/05/30	2 x 21/0.30	21	30
BCTW02/02/30	2 x 28/0.30	25	30
BCTW02/02/100	2 x 28/0.30	25	100
BCTW02/07/30	2 x 35/0.30	29	30
BCTW02/07/100	2 x 35/0.30	29	100
BCTW02/08/30	2 x 44/0.30	33	30
BCTW02/08/100	2 x 44/0.30	33	100
BCTW02/09/30	2 x 65/0.30	42	30
BCTW02/09/100	2 x 65/0.30	42	100

Thin Wall Cable (Four core)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length Metres
BCTW04/01/30	4 x 32/0.20	16.5	30
BCTW04/01/100	4 x 32/0.20	16.5	100

Thin Wall Cable (Five core)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length Metres
BCTW05/01/30	5 x 32/0.20	16.5	30

Thin Wall Cable (Seven core)



Part No.	Conductor Specification (mm)	Nominal Current Rating (Amps)	Length Metres
BCTW07/03/30	7 x 16/0.20	11.0	30
BCTW07/01/30	7 x 24/0.20	14.0	30
BCTW07/04/30	7 x 32/0.20	16.5	30
BCTW07/02/30	7 x 32/0.20 1 x 28/0.30	16.5 25.0	30
BCTW07/02/100	6 x 32/0.20 7 x 28/0.30	16.5 25.0	100
BCTW07/07/30	6 x 21/0.30 7 x 35/0.30	21.0 29.0	30

Black Heat Shrink Kit

Includes:

- 2.4mm
- 3.2mm
- 4.8mm
- 6.4mm
- 9.5mm
- 12.7mm



Shrink Ratio 2:1

Part No.

BAKHS1

Red Heat Shrink Kit

Includes:

- 2.4mm
- 3.2mm
- 4.8mm
- 6.4mm
- 9.5mm
- 12.7mm



Shrink Ratio 2:1

Part No.

BAKHS2

Flexible Conduit (Supplied by the metre)



Part No.	Type	Inner Diameter (mm)	Outer Diameter (mm)
BACST7	Split	6.7	10.0
BACST10	Split	9.9	13.0
BACST13	Split	11.1	15.7
BACST16	Split	16.9	21.2
BACST23	Split	23.1	28.3
BACST26	Split	25.8	31.2
BACT07	Unsplit	6.5	10.0
BACT10	Unsplit	9.9	13.0
BACT13	Unsplit	13	16.0

P-Clips (50 pcs)

Part No.	Diameter (A)	Fixing Hole (B)	Width (C)
GUBN0	3.4mm	3.5mm	6.2mm
GUBN1	5.0mm	3.5mm	6.2mm
GUBN2	6.4mm	3.5mm	6.2mm
GUBN3	8.0mm	3.5mm	6.2mm
GUBN4	10.0mm	3.9mm	9.4mm
GUBN5	12.0mm	3.9mm	9.4mm
GUBN6	13.6mm	3.9mm	9.4mm
GUBN8	14.6 - 15.8mm	4.0mm	12.6mm
GUBN11	20.4 - 17.8mm	4.0mm	12.6mm
GUBN14	22.2 - 25.4mm	4.3mm	16.0mm



Assorted Wiring & Blanking Grommet Kit (100 pcs)



Kit contains:

Part No.	Max Diameter	Panel Hole	Cable Hole
0-447-01	N/A	6.35mm	3.96mm
0-447-02	N/A	6.35mm	4.74mm
0-447-36	N/A	6.00mm	4.00mm
0-447-39	N/A	9.00mm	7.7mm
0-447-07	N/A	15.87mm	11.09mm
0-447-42	N/A	12.00mm	9.50mm
0-447-46	N/A	16.00mm	12.00mm
0-452-39	9.00mm	N/A	N/A
0-452-46	16.00mm	N/A	N/A
0-452-50	20.00mm	N/A	N/A
0-452-55	25.00mm	N/A	N/A

Part No.

BAKG1

Insulation Tape




Part No.	Colour
BAITB	Black
BAITR	Red
BAITW	White
BAITG	Green
BAITU	Blue
BAITY	Yellow

Premium Blue Pre-Insulated Terminals (100 pcs)




Part No.	Dimensions	Type
GUB2X100	3.2mm	Ring
GUB3X100	3.7mm	Ring
GUB4X100	4.3mm	Ring
GUB5X100	5.3mm	Ring
GUB6X100	6.5mm	Ring
GUB7X100	8.5mm	Ring
GUB8X100	10.0mm	Ring
GUB9X100	12mm	Ring
GUB11X100	3.7mm	Fork
GUB12X100	4.3mm	Fork
GUB13X100	5.3mm	Fork
GUB19X100	9.0mm x 2.8mm	Blade
GUB21X100	9.5mm	Pin
GUB22X100	12.0mm	Pin
GUB23X100	18.4mm x 2.3mm	Blade
GUB25X100	25mm x 3.7mm	Butt Connector
GUB26X100	17mm x 3.7mm	Butt Connector
GUB29X100	4.8mm x 0.5mm	Push Fit
GUB30X100	4.8mm x 0.8mm	Push Fit
GUB31X100	6.3mm x 0.8mm	Push Fit
GUB32X100	8.0mm x 8.0mm	Push Fit
GUB34X100	6.3mm x 0.8mm	Piggy Back
GUB35X100	6.3mm x 0.8mm	Male Push Fit
GUB36X100	4.8mm x 0.8mm	F.I Push Fit
GUB37X100	6.3mm x 0.8mm	F.I Push Fit
GUB38X100	4.0mm	Bullet Male
GUB39X100	5.0mm	Bullet Male
GUB41X100	4.0mm	Bullet Female
GUB42X100	5.0mm	Bullet Female

Premium Red Pre-Insulated Terminals (100 pcs)



Part No.	Dimensions	Type
GUR2X100	3.2mm	Ring
GUR3X100	3.7mm	Ring
GUR4X100	4.3mm	Ring
GUR5X100	5.3mm	Ring
GUR6X100	6.5mm	Ring
GUR7X100	8.5mm	Ring
GUR8X100	10.0mm	Ring
GUR13X100	5.3mm	Fork
GUR19X100	9.0mm x 2.8mm	Blade
GUR21X100	9.5mm	Pin
GUR22X100	12.0mm	Pin
GUR23X100	18.4mm x 2.3mm	Blade
GUR24X100	15mm x 2.2mm	End Connector
GUR25X100	25mm x 3.7mm	Butt Connector
GUR26X100	17mm x 3.7mm	Butt Connector
GUR27X100	2.8mm x 0.5mm	Push Fit
GUR28X100	2.8mm x 0.8mm	Push Fit
GUR29X100	4.8mm x 0.5mm	Push Fit
GUR30X100	4.8mm x 0.8mm	Push Fit
GUR31X100	6.3mm x 0.8mm	Push Fit
GUR32X100	8.0mm x 8.0mm	Push Fit
GUR34X100	6.3mm x 0.8mm	Piggy Back
GUR35X100	6.3mm x 0.8mm	Male Push Fit
GUR36X100	4.8mm x 0.8mm	F.I Push Fit
GUR37X100	6.3mm x 0.8mm	F.I Push Fit
GUR38X100	4.0mm	Bullet Male

Premium Yellow Pre-Insulated Terminals (100 pcs)



Part No.	Dimensions	Type
GUY4X100	4.3mm	Ring
GUY5X100	5.3mm	Ring
GUY6X100	6.5mm	Ring
GUY7X100	8.5mm	Ring
GUY8X100	10.0mm	Ring
GUY9X100	12mm	Ring
GUY11X100	3.7mm	Fork
GUY13X100	5.3mm	Fork
GUY23X100	18.4mm x 2.3mm	Pin
GUY25X100	25mm x 3.7mm	Butt Connector
GUY26X100	17mm x 3.7mm	Butt Connector
GUY31X100	6.3mm x 0.8mm	Push Fit
GUY33FIX100	9.5mm x 1.0mm	F.I Push Fit
GUY33X100	9.5mm x 1.0mm	Push Fit
GUY34X100	6.3mm x 0.8mm	Piggy Back
GUY35X100	6.3mm x 0.8mm	Male Push Fit
GUY37X100	6.3mm x 0.8mm	F.I Push Fit
GUY39X100	5.0mm	Bullet Male
GUY42X100	5.0mm	Bullet Female

Heat Shrink Butt Splice



Part No.	Dimensions	Colour
BAHSBR	0.5mm ² - 1.5mm ²	Red
BAHSBB	1.5mm ² - 2.5mm ²	Blue
BAHSBY	3.0mm ² - 6.0mm ²	Yellow

Heat Shrink Terminals



Part No.	Colour	Dimensions	Type
GUHSR41	Red	-	Butt Connector
GUHSR25	Red	-	Bullet Female
GUHSR6	Red	6.4mm	Ring
GUHSR5	Red	5.3mm	Ring
GUHSR31	Red	6.3mm	Female Push
GUHSR38	Red	4.0mm	Male Bullet
GUHSR35	Red	6.3mm	Male Push
GUHSB5	Blue	5.3mm	Ring
GUHSB6	Blue	6.4mm	Ring
GUHSB31	Blue	6.3mm	Female Push
GUHSB35	Blue	6.3mm	Male Push
GUHSB42	Blue	5.0mm	Butt Connector
GUHSB25	Blue	-	Butt Connector
GUHSB39	Blue	5.0mm	Male Bullet
GUHSY35	Yellow	6.3mm	Male Push
GUHSY31	Yellow	6.3mm	Female Push
GUHSY39	Yellow	5.0mm	Male Bullet
GUHSY25	Yellow	-	Butt Connector
GUHSY42	Yellow	-	Butt Connector
GUHSY7	Yellow	8.4mm	Ring
GUHSY6	Yellow	6.3mm	Ring

Assorted Heat Shrink Terminal Kit 155 Pieces




Contains heat shrink terminals of various types, sizes and colour, please visit our web-site for a full list.

Part No.

BAKHST1

BAE Assorted Ring Terminal Kit (200 pcs)



Part No.	BAKAS1
----------	--------

BAE Assorted Fork & Pin Terminal Kit (200 pcs)



Part No.	BAKAS2
----------	--------

BAE Assorted Blue Terminal Kit (200 pcs)



Part No.	BAKB1
----------	-------

BAE Assorted Red Terminal Kit (200 pcs)



Part No.	BAKR1
----------	-------

BAE Assorted Yellow Terminal Kit (200 pcs)



Part No.	BAKY1
----------	-------

BAE Tinned Copper Tube Terminals



Part No.	Hole Size	Cable Size
BACTT1006	6mm	10mm
BACTT1008	8mm	10mm
BACTT1010	10mm	10mm
BACTT1012	12mm	10mm
BACTT1606	6mm	16mm
BACTT1608	8mm	16mm
BACTT1610	10mm	16mm
BACTT1612	12mm	16mm
BACTT2506	6mm	25mm
BACTT2508	8mm	25mm
BACTT2510	10mm	25mm
BACTT2512	12mm	25mm
BACTT3506	6mm	35mm
BACTT3508	8mm	35mm
BACTT3510	10mm	35mm
BACTT3512	12mm	35mm
BACTT5006	6mm	50mm
BACTT5008	8mm	50mm
BACTT5010	10mm	50mm
BACTT5012	12mm	50mm
BACTT7008	8mm	70mm
BACTT7010	10mm	70mm
BACTT7012	12mm	70mm

BAE Assorted Tinned Copper Tube Terminal Kit



- BACTT7010
- BACTT7008
- BACTT5006
- BACTT5008
- BACTT5010
- BACTT5012
- BACTT3512
- BACTT3510
- BACTT3508
- BACTT3506
- BACTT2512
- BACTT2510
- BACTT2508
- BACTT2506
- BACTT1608
- BACTT1606

Part No.	BAKTT1
-----------------	--------

Heavy Duty Battery Terminals - Screw Fixing



Part No.	Polarity	Cable Size
BABT1N	Negative	40mm
BABT1P	Positive	40mm
BABT2N	Negative	60mm
BABT2P	Positive	60mm
BABT3N	Negative	70mm
BABT3P	Positive	70mm

Heavy Duty Battery Terminals - Nut Fixing



Part No.	Polarity	Stud Size	Stud Length
BABT4N	Negative	8mm	14mm
BABT4P	Positive	8mm	14mm
BABT5N	Negative	10mm	14mm
BABT5P	Positive	10mm	14mm

Heavy Duty 3 Stud Battery Terminals



Part No.	Polarity	Inner Diameter
BABT6N	Negative	17mm
BABT6P	Positive	17mm

Connector Solder Butt - Heat Shrink - (10 pcs)



Part No.	Spec
0-001-90	0.20-0.75mm ²
0-001-91	0.60-2.00mm ²
0-001-92	1.80-2.50mm ²
0-001-93	2.40-4.50mm ²

BAE Assorted Grease Nipples Kit (90 pcs)



Part No.	Spec
GRN1	1/8" BSP Straight
GRN2	1/8" BSP Angled (45°)
GRN4	1/4" BSP Straight
GRN5	1/4" BSP Angled (45°)
GRN7	M6 * 1 Straight
GRN8	M6 * 1 Angled (45°)
GRN10	M8 * 1 Straight
GRN11	M8 * 1 Angled (45°)
GRN13	M8 * 1.25 Straight
GRN14	M8 * 1.25 Angled (45°)
GRN16	M10 * 1 Straight
GRN17	M10 * 1 Angled (45°)

Part No.	BAKGN1
----------	--------

Assorted Deutsch DT Connectors



Includes 9 Plugs, 9 Sockets and 68 Terminals

5x 3-011-42	5x 3-011-32
5x 3-111-42	5x 3-111-32
2x 3-011-43	2x 3-011-33
2x 3-111-43	2x 3-111-33
4x 3-011-44	4x 3-011-34
4x 3-111-44	4x 3-111-34
1x 3-011-46	1x 3-011-36
1x 3-111-46	1x 3-111-36
1x 3-011-48	1x 3-011-38
50x 3-011-96	1x 3-111-38
	50x 3-011-95

Part No.	0-011-30
----------	----------

Deutsch DT Series Connectors (Sold individually)

Get reliability and performance when you need it most with Deutsch environmentally sealed connectors from Durite designed for cable to cable applications.

- Male or Female 2, 3, 4, 6, 8 or 12 cavity arrangements.
- Thermoplastic housing withstands conditions of extreme temperature and moisture.
- Accommodates wire sizes up to 2.00mm².
- Kit supplied with terminals and seals for 0.5 – 1.00mm² cables.

Male Plug Connectors



Type	Part No.
2-Way	0-011-32
3-Way	0-011-33
4-Way	0-011-34
6-Way	0-011-36
8-Way	0-011-38
12-Way	0-011-39

Female Socket Connectors



Type	Part No.
2-Way	0-011-42
3-Way	0-011-43
4-Way	0-011-44
6-Way	0-011-46
8-Way	0-011-48
12-Way	0-011-49

BAE Superseal Kit (160 pcs)



Part No.	BAKSS1
-----------------	--------

Part No.	Spec
GU1WSP	Male 1 way
GU1WSS	Female 1 way
GU2WSP	Male 2 way
GU2WSS	Female 2 way
BASSM3	Male 3 way
BASSF3	Female 3 way
BASSM4	Male 4 way
BASSF4	Female 4 way
BASSM5	Male 5 way
BASSF5	Female 5 way
BASSM6	Male 6 way
BASSF6	Female 6 way

Superseal Connectors (Sold Individually)



Part No.	Type	Dimensions (L x W)
GU1WSP	Male 1 way	45.5mm 13.8mm
GU2WSP	Male 2 way	45.5 x 19.9mm
BASSM3	Male 3 way	45.5 x 19.9mm
BASSM4	Male 4 way	45.5 x 31.9mm
BASSM5	Male 5 way	45.5 x 38.2mm
BASSM6	Male 6 way	45.5 x 44.0mm
GU1WSS	Female 1 way	26.0mm 13.8mm
GU2WSS	Female 2 way	26.0mm 19.9mm
BASSF3	Female 3 way	45.5 x 19.9mm
BASSF4	Female 4 way	45.5 x 31.9mm
BASSF5	Female 5 way	45.5 x 38.2mm
BASSF6	Female 6 way	45.5 x 44.0mm

Midi Link Fuses (Sold Individually)



Part No.	Rating (Amps)	Colour
BAMIDI30	30	Orange
BAMIDI40	40	Green
BAMIDI50	50	Red
BAMIDI60	60	Yellow
BAMIDI70	70	Brown
BAMIDI80	80	White
BAMIDI100	100	Blue
BAMIDI125	125	Pink
BAMIDI150	150	Black

Mega Link Fuses (Sold Individually)



Part No.	Rating (Amps)	Colour
BAMEGA60	60	Black
BAMEGA80	80	Red
BAMEGA100	100	Yellow
BAMEGA125	125	Green
BAMEGA150	150	Orange
BAMEGA175	175	White
BAMEGA200	200	Blue
BAMEGA250	250	Purple
BAMEGA300	300	Black

BAE Midi & Mega Link Fuse Kit (12 pcs)



- | | | | | | |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| x1 BAMIDI30
30A | x1 BAMIDI40
40A | x1 BAMIDI50
50A | x1 BAMIDI60
60A | x1 BAMIDI70
70A | x1 BAMIDI80
80A |
| x1 BAMIDI100
100A | x1 BAMIDI125
125A | x1 BAMEGA100
100A | x1 BAMEGA125
125A | x1 BAMEGA175
175A | x1 BAMEGA300
300A |

Part No.

BAKF4

Midi Fuse Holder

Suitable for use with
the MIDI Range
Maximum 100 Amps



Part No.

GUILF20

Mega Fuse Holder


Suitable for use with
the MEGA Range
Maximum 500 Amps



Part No.

GUILF21

Maxi Blade Fuses (Sold Individually)



Part No.	Rating (Amps)	Colour
BAMBF20	20	Yellow
BAMBF30	30	Green
BAMBF40	40	Orange
BAMBF50	50	Red
BAMBF60	60	Blue
BAMBF70	70	Tan
BAMBF80	80	Natural
BAMBF100	100	Violet

Low-Profile Mini Blade Type Fuses (Qty 10)

GUARDIAN
automotive limited

Exact colours may vary



Part No.	Rating (Amps)	Colour
GULPMF02	2	Slate
GULPMF03	3	Purple
GULPMF04	4	Pink
GULPMF05	5	Tan
GULPMF07	7	Brown
GULPMF10	10	Red
GULPMF15	15	Blue
GULPMF20	20	Yellow
GULPMF25	25	Clear
GULPMF30	30	Green

Micro 3 Blade Type Fuses

DURITE



Part No.	Rating (Amps)	Colour	Quantity
0-371-55	5	Tan	1
0-371-56	5	Tan	10
0-371-58	7.5	Brown	1
0-371-59	7.5	Brown	10
0-371-60	10	Red	1
0-371-61	10	Red	10
0-371-65	15	Blue	1
0-371-66	15	Blue	10

Micro2 Fuse Tap (Pack of 5)

Micro2 Fuse Tap add-on 25A



Part No.	0-376-89
-----------------	----------

Fuse Holder 'Add a Circuit' Mini Blade Type (Pack of 1)

Add A Circuit Type Mini Blade Fuse Holder - Maximum 10A Continuous.

Adds one extra fuse when use to replace a blade fuse in a fuse box.

Maximum fuse rating 10 amp continuous.



Part No.	5-372-99
-----------------	----------

Fuse Holder 'Add a Circuit' Blade Type (Pack of 1)

'Add a Circuit' blade fuse holder, adds one extra fuse when use to replace a blade fuse in a fuse box.

Maximum fuse rating 10 amp continuous.



Part No.	5-376-99
-----------------	----------

Pal / J Case / Low Profile J Case Fuse Kit (32 Pcs)

Kit Contents:

- x 2 BEFU30-20 Blue 20amp J Case Fuse
- x 2 BEFU30-30 Pink 30amp J Case Fuse
- x 2 BEFU30-40 Green 40amp J Case Fuse
- x 2 BEFU30-60 Yellow 60amp J Case Fuse
- x 2 BEFU31-20 Blue 20amp Low Profile J Case Fuse
- x 2 BEFU31-30 Pink 30amp Low Profile J Case Fuse
- x 2 BEFU31-40 Green 40amp Low Profile J Case Fuse
- x 2 BEFU31-60 Yellow 60amp Low Profile J Case Fuse
- x 2 BEFU17-60 Yellow 20amp Low Profile J Case Fuse
- x 2 BEFU17-80 Black 30amp Low Profile J Case Fuse
- x 2 BEFU17-100 Blue 40amp Low Profile J Case Fuse
- x 2 BEFU17-120 White 60amp Low Profile J Case Fuse
- x 2 BEFU16-30 Pink 20amp PAL Type Female Fuse
- x 2 BEFU16-40 Green 30amp PAL Type Female Fuse
- x 2 BEFU16-50 Red 40amp PAL Type Female Fuse
- x 2 BEFU16-600 Yellow 60amp PAL Type Female Fuse



Part No.	BAKF5
-----------------	-------



Part No.	Rating (Amps)	Colour	Quantity
0-376-65	5	Tan	10
1-376-65	5	Tan	50
0-376-67	7.5	Brown	10
1-376-67	7.5	Brown	50
0-376-70	10	Red	10
1-376-70	10	Red	50
0-376-75	15	Blue	10
1-376-75	15	Blue	50
0-376-80	20	Yellow	10
1-376-80	20	Yellow	50
0-376-82	25	White	10
1-376-82	25	White	50
0-376-83	30	Green	10
1-376-83	30	Green	50

In-Line Blade Fuse Holder

Individual fuse holders. Accepts standard blade fuses. Several fuse holders can be clipped together to form a multiple fuse block.

The cables connectors are made by 2 x 6.3mm blade terminals.



Part No.

BAFH2

BAE Mini Blade Fuse Kit (71 pcs)



x10 GUBBF05
5A



x10 GUBBF07
7A



x10 GUBBF10
10A



x10 GUBBF15
15A



x10 GUBBF20
20A



x10 GUBBF25
25A



x10 GUBBF30
30A



x1 BAFH5
Fuse Holder

Part No.

BAKF1

BAE Blade Fuse Kit (80 pcs)



x10 GUBF05
5A



x10 GUBF07
7.5A



x10 GUBF10
10A



x10 GUBF15
15A



x10 GUBF20
20A



x10 GUBF25
25A



x10 GUBF30
30A



x10 GUBF40
40A

Part No.

BAKF2

BAE Maxi Blade Fuse Kit (24 pcs)



x3 BAMBF20
20A



x3 BAMBF30
30A



x3 BAMBF40
40A



x3 BAMBF50
50A



x3 BAMBF60
60A



x3 BAMBF70
70A



x3 BAMBF80
80A



x3 BAMBF100
100A

Part No.

BAKF3

Mini Blade Fuse Holder



- 20A rating
- 2.0mm² Cable cross section

Individual splash proof fuse holders are fitted with a lid to prevent ingress of water.

Part No.	BAFH5
-----------------	-------


Maxi Blade Fuse Holder Kit



- Holder
- Cover
- Fixing Plate
- x2 Terminals

Part No.	BAFH1
-----------------	-------

Blade Fuse Holder



- 30A rating
- 3.3mm² Cable cross section

Individual fuse holder.

Part No.	BAFH4
-----------------	-------

Blade Fuse Holder




- 30A rating
- 3.3mm² Cable cross section

Individual splash proof fuse holders are fitted with a lid to prevent ingress of water.

Part No.	BAFH3
-----------------	-------

Battery Isolator Switch

- Battery Switch with Removable Key and Waterproof Cover
- At 12 volt it is rated at 100 Amps continuous and 500 Amps for 5 seconds
- Pack Size: 1



Part No.	GUBIS1
-----------------	--------

Part No.	GUBIS1K
-----------------	---------

Battery Isolator Switch



- Rated 250 Amps at 12V
 - 2500 Amps over 5 seconds
 - IP66 Ingress protection
- Removable key and splash proof cover.

Part No.	BABIS3
-----------------	--------



Heavy Duty Battery Isolator Switch





- Rated 250 Amps at 24V
 - 2500 Amps over 5 seconds
 - IP65 Ingress protection
- Heavy duty battery switch.

Part No.	BABIS4
-----------------	--------

Cube Relays



- 12V, 40 Amp
- 4 x 6.3mm terminals
- Normally Open Relay





- 24V, 22 Amp
- 4 x 6.3mm terminals
- Normally Open Relay

Part No.



BAR1

Part No.

BAR2



- 12V, 40/15 Amp
- 5 x 6.3mm terminals
- Change Over Relay




- 24V, 22/10 Amp
- 5 x 6.3mm terminals
- Change Over Relay

Part No.


BAR7

Part No.

BAR8



- 12V, 15/25 Amp
- 5 x 6.3mm terminals
- Change Over Relay with Resistor



- 12V, 20/10 Amp
- 2 x 6.3mm terminals
- 3 x 4.8mm terminals
- Change Over Relay with Resistor



Part No.

BAR6

Part No.

BAR9


Cube Relays



- 12V, 25 Amp
- 4 terminals
- Normally Open Relay

Part No.

BAR5



GUARDIAN
automotive limited


- 12V, 20/10 Amp
- 5 terminals
- Diode Protected Micro Relay

Part No.

GUGR27

Head/Spot and Fog Lamp Bulbs

H9



Part No.

Volts


Watts

709

12

65

H10



Part No.

Volts


Watts

710

12

42

HB3



Part No.

Volts


Watts

9005

12

60

H15



Part No.

Volts

Watts


715

12


15/55

Head/Spot and Fog Lamp Bulbs

H11




H11




Part No.	Volts	Watts
724	24	70

Part No.	Volts	Watts
711	12	60

H1




H3




Part No.	Volts	Watts
448	12	55
466	24	70

Part No.	Volts	Watts
453	12	55
460	24	70

H7





H4



Part No.	Volts	Watts
447	12	55
467	24	70

Part No.	Volts	Watts
472	12	60/55
475	24	75/70



Head/Spot and Fog Lamp Bulbs



Part No.	Volts	Watts
894	12	37.5


Part No.	Volts	Watts
GUD1S	-	35

Dash and Panel Bulbs (Sold in Packs of 10)



Part No.	Volts	Watts
239	12	5
242	24	5

Part No.	Volts	Watts
267	12	15
276	24	15



Part No.	Volts	Watts
233	12	4
249	24	4


Part No.	Volts	Watts
286S	12	1.2w
508S	12	1.2w

B8.5D




Part No.	Volts	Watts
508T	24	1.2
286T	12	1.2

W5W




Part No.	Volts	Watts
501	12	5
504	12	3
505	24	5
507	24	3

W2.1 x 9.5d



Part No.	Volts	Watts
509	12	7

W2.1 x 9.5d



Part No.	Volts	Watts
955	12	16

W2.1 x 9.5d

Pack of 2



Design may vary.

Part No.	Volts
501LED	12

W2.1 x 9.5d

Pack of 2




Design may vary.

Part No.	Volts
507LED	24


Stop, Tail and Indicator Bulbs (Sold in Packs of 10)

BA15S



Part No.	Volts	Watts
207	12	5
149	24	5
245	12	10
246	24	10

BA15D



Part No.	Volts	Watts
209	12	5
150	24	5

BA15S




Part No.	Volts	Watts
382	12	21
241	24	21
290	24	21 HD*

BAY15D




Part No.	Volts	Watts
380	12	21/5
294	24	21/5
334	24	24/6

BA15D



Part No.	Volts	Watts
335	12	21
346	24	24

BAU15S




Part No.	Volts	Watts
581	12	21
579	24	21


* Heavy Duty

Wedge Type Bulbs (Sold in Packs of 10)

W5x16D




W5x16D



Part No.	Volts	Watts
380C	12	21/5

Part No.	Volts	Watts
382C	12	21

24V Auto Bulb Kit



SPAUDWK24

Part No.	Type	Wattage	Qty
ALCD149	BA15S	5	10
ALCD150	BA15D	5	10
ALCD241	BA15S	21	10
ALCD242	FESTOON	5	5
ALCD246	BA15S	10	10
ALCD249	BA9S	4	10
ALCD334	BAY15D	21/5	10
ALCD346	BA15D	21	10
ALCD433E	BAY9S	21	5
ALCD466	H1	70	4
ALCD475	H4	75/70	6
ALCD499A	H7	70	6
ALCD507	CAPLESS	5	5
ALCD566A	AMBER	21/4	5
ALCD581A	AMBER	21	10
ALCDH11A	H11	70	2

12V Auto Bulb Kit



SPAUDWK12

Part No.	Type	Wattage	Qty
ALCD207	BA15S	5	5
ALCD233	BA9S	4	5
ALCD239	SV8.5	5	5
ALCD245	BA15S	10	5
ALCD265	FESTOON	10	5
ALCD380	BAY15D	21/5	5
ALCD380W	WEDGE	21/5	5
ALCD382	BA15S	21	5
ALCD382W	WEDGE	21	5
ALCD382A	AMBER	21	5
ALCD433C	BAX9S	-	5
ALCD433D	BAY9S	-	5
ALCD448	H1	55	2
ALCD472	H4	60/55	5
ALCD499	H7	55	5
ALCD501	CAPLESS	5	5
ALCD501A	AMBER	5	5
ALCD504	CAPLESS	3	5
ALCD566	BAZ15D	21	5
ALCD567	RED	21	5
ALCD581	BAU15S	21	5
ALCD584	B15S RED	15	5
ALCD9005	BH3	60	2
ALCD9006	HB4	51	2
ALCD921B	WEDGE	16	5
ALCDH11	H11	35	2

4-Bolt Amber LED Light Bar

- R65 Class 2
- 92 SMD LEDs
- Max power output 180W
- 19 Flash patterns
- Protected to IP67/IP69K
- Supply with 100cm fly lead
- L 572 x W 110 x H 43mm (/w bracket)
- E-Marked, ECE R65 Class 1 & 2, R10 EMC, CE & UKCA approved



Part No.	Size
0-443-26	2ft
0-443-27	4ft
0-443-89	120mm Riser Kit

R65 LED Light Bar (1-Bolt)

- 12 - 24v
- Double flash
- 80 amber LED's
- Low profile
- IP67 rated
- ECE approved



Part No.	BALB10
----------	--------

Mini LED Light Bar (Magnetic)

- 12 - 24v
- 26 flash patterns
- 10 Amber SMD LED's
- ECE, R65 and CE approved
- IP67 rated
- H.60mm W.155mm L.280mm



Part No.	BALB11
----------	--------

R65 LED Light Bar (4-Bolt)

- 12 - 24v
- 4-Bolt Mount
- 56x 0.2W LEDs
- 10 flash patterns
- IP67 rated
- H.90mm W.222mm L.388mm



Part No.	BALB3
----------	-------

R65 LED Light Bar (Magnetic)

- 12 - 24v
- Magnetic Mount
- 56x 0.2W LEDs
- 10 flash patterns
- IP67 rated
- H.90mm W.222mm L.388mm



Part No.	BALB3/M
----------	---------

R65 SMD LED Light Bar 717mm



- 10 - 30v
- 80 x 1w SMD LED's
- 18 Selectable patterns
- 4 Bolt fixing
- ECE, R65, EMC, SAE & RoHS Approved
- H.92mm W.264mm L.717mm

Part No.

BALB4

R65 SMD LED Light Bar 877mm



- 10 - 30v
- 96 x 1w SMD LED's
- 18 Selectable patterns
- 4 Bolt fixing
- ECE, R65, EMC, SAE & RoHS Approved
- H.92mm W.264mm L.877mm

Part No.

BALB8

R65 SMD LED Light Bar 1197mm



- 10 - 30v
- 128 x 1w SMD LED's
- 18 Selectable patterns
- 4 Bolt fixing
- ECE, R65, EMC, SAE & RoHS Approved
- H.92mm W.264mm L.1197mm

Part No.

BALB5

Programmable Directional Warning Lamps

- 12/24V
- Rated IP67
- 9 Flash patterns (3 LED)
- 18 Flash patterns (4 LED)



Part No.	Watts	Dimensions (HxWxL)	Colour
BALED3DVU	9	25 x 33 x 100mm	Blue
BALED4DVU	12	25 x 33 x 120mm	Blue
BALED3DVA	9	25 x 37 x 92mm	Amber
BALED4DVA	12	27 x 37 x 138mm	Amber

Super Thin Amber LED Lightheads

- 10 - 30V
- Only 8.5mm thick
- 20 Flash patterns
- Cree LEDs
- 50,000 hours
- Single or dual flashing
- Memory recall function
- Rated IP67/69k
- ECE R10, R10 approved



Light Bars

Part No.	Watts
BA5503	9
BA5504	12
BA5506	18
BA55012	24
BA55018	36
BA55024	48

Rechargeable Wireless Beacon with Magnetic Mount

- 10 - 30v
- 32x 0.5w LEDs
- 3 Flash patterns
- 4 Hours working time
- 2200mAh 11.7v Battery
- ECE, R65 and R10 compliant
- IP67 Water resistance
- L.110mm W.110mm H.72mm



Part No.	BAEL528
----------	---------

Amber LED Beacon 12-110V

- 12 - 110V
- 30 SMD LEDs
- 3 Flash patterns
- 2 Bolt fixing
- IP65 Rated
- ECE, R10 Approved
- 2 Year warranty
- Dimensions: 130mm x 100mm



Part No.	BALEDB6
----------	---------

Beacons

Amber LED Beacons 12/24V

- DC 12V or dual voltage 12V/24V
- SMD 5050 class LEDs
- 360° revolving flash or intermittent flash
- -30°C to + 50°C temperature range
- Meets IP65 protection standards



Part No.	Fixing Type
GUAMB74	Single Bolt
GUAMB75	3 Bolt
GUAMB76	Magnetic
GUAMB77	Spigot

Green LED Beacons 12/24V

- DC 12V or dual voltage 12V/24V
- SMD 5050 class LEDs
- 360° revolving flash or intermittent flash
- -30°C to + 50°C temperature range
- Meets IP65 protection standards



Part No.	Fixing Type
GUAMB74G	Single Bolt
BALEDB13G	3 Bolt
GUAMB76G	Magnetic
GUAMB77G	Spigot

Clear Lens Amber LED R65 Beacons 12-24V

- 12 - 24V
- 128 x 15 SMD LEDs
- 18 Flash patterns
- Rated IP67
- Synchronise-able with up to 8 units
- ECE R65, R10, EMC, CE, E Marked



Part No.	Fixing Type
GUAMB60	Single Bolt
GUAMB61	3 Bolt

Low Profile LED Beacons 12/24V

- 12 - 24 volt
- IP67 Rated
- 18 x 1 watt SMD LEDs
- 7 Selectable flash patterns
- Current draw at 12v is 1.7Amps
- ECE R10, CE, E Mark and EMC approved



Part No.	Fixing Type
GUAMB924	Single Bolt
GUAMB924G	Single Bolt
GUAMB927	Spigot
GUAMB927G	Spigot

Amber LED Beacons 10-30V

- 10 - 30V
- 8W/40 SMD LEDs
- CE & E13 Certificate
- 8 Flash patterns
- 140mm x 130mm



Part No.	Fixing Type
BALEDB3	3 Bolt
BALEDB4	Magnetic

Securon Green Beacon Lap Belt Kits

- DC 12V or dual voltage(12V/24V)
- 360° Revolving flash or intermittent flash
- Total Length up to 143cm including buckle

Part No.	Fixing	Belt Colour
BAESBW1/S	1-Bolt	Black
BAESBW3/S	3-Bolt	Black
BAESBW5/SB	Spigot	Black
BAESBW5/S	Spigot	Orange
BAESBW4/S	Magnetic	Orange



securon

Green Beacon Lap Belt Kits

- DC 12V or dual voltage 12V/24V
- 360° Revolving flash or intermittent flash
- 1310mm two point orange seat belt

Part No.	Fixing	Belt Colour
BAESBW1	1-Bolt	Black
BAESBW1BO	1-Bolt	Orange
BAESBW1BG	1-Bolt	Green
BAESBW3	3-Bolt	Black
BAESBW3BO	3-Bolt	Orange
BAESBW3BG	3-Bolt	Green
BAESBW4	Magnetic	Black
BAESBW4BO	Magnetic	Orange
BAESBW4BG	Magnetic	Green
BAESBW5	Spigot	Black
BAESBW5BO	Spigot	Orange
BAESBW5BG	Spigot	Green



Retractable Lap Belts

- Polyester webbing
- Total length: 1310mm
- Webbing size: 47mm x 1.15mm
- Two point fixing

Part No.	Colour
BAESBB	Black
BAESBO	Orange
BAESBG	Green



Fixed Buckle Two Point Retracting Seat Belt

- Total Length up to 143cm
- Buckle on Metal Strap 15cm
- 2"/47mm wide Retracting lap belt.
- For mounting at any angle.

Part No.	Belt Colour
2220/15EL	Black
2220/O/15EL	Orange



Static Lap & Electric Switch Static Seat Belt

- Total Length up to 143cm
- Buckle on Metal Strap 15cm
- 2"/47mm wide Retracting lap belt.
- For mounting at any angle.

Part No.	Belt Colour
230/15EL	Black
230/15EL/OR	Orange



Marker Lamps with Reflex Reflector



- 12/24V
- Poly-carbonate lens with reflex reflector
- Can be mounted vertically or horizontally
- Perfect for light and heavy duty vehicles
- IP67 Weather protection
- 120mm x 40mm x 15mm

Part No.	Colour	Type
BAML890A	Amber	Superseal
BAML890R	Red	Superseal
BAML890W	White	Superseal
BAML891A	Amber	Fly-lead
BAML891R	Red	Fly-lead
BAML891W	White	Fly-lead

Side Marker Lamp (12/24V)



Features

- 12/24V
- Integrated reflex reflector
- Shock, water & dust proof
- Choice of surface mount or pendant bracket mount
- Ingress Protection: IP67
- ECE & EMC approved
- Dimensions: 110 x 40 x 25mm
- Cable Length: 185mm
- 5 year warranty

Current Draw (13.8V / 28V)

- 0.05A / 0.07A

Part No.	Colour
LED1490AM	Amber
LED1490RM	Red
LED1490WM	White

Marker Lamp w/ Bracket

- 12/24V
- Comes with pendant bracket
- Reflex reflector
- IP67 Ingress protection
- 110 x 47 x 65mm
- Cable length: 185mm
- 5 year warranty



Part No.	LED1491AM
----------	-----------


Marker Lamp w/ Reflector

- 12/24V
- Amber LED with reflex reflector
- 300mm lead with stripped ends
- ECE Approved
- 120mm x 40mm x 15mm
- Mounting hole distance: 75mm
- Reflector depth: 7.5mm



Part No.	BAMLS2
----------	--------

4 LED Marker Lamp (Qty 1)



- 24V
- 4 LEDs

Part No.

BAMLS1

Marker Lamp /w Bracket (Qty 1)



- 24V
- 4 LEDs
- Bracket mount

Part No.

BAMLS1B

Adhesive Reflectors 71 x 35mm



Part No.

Colour

BARF7135A

Amber


BARF7135R

Red

BARF7135W

White

Adhesive Reflectors 95 x 44mm



Part No.

Colour

BARF9544A

Amber

BARF9544R

Red

BARF9544W

White

Rubber Stalk Marker Lamp with Side Marker

- 12/24V
- Front and rear position with side marker
- Durable rubber housing
- Shock, water & dust proof
- Ingress Protection: IP67
- ECE & EMC approved
- Highly efficient – low current draw
- Dimensions: 193mm x 166mm x 66mm
- Cable Length: 200mm
- 5 year warranty



Part No.

Configuration

LED1005LE

Left Hand

LED1005RE

Right Hand

Rubber Marker Lamp

- 10/30V
- Red and clear lens
- Rubber case
- Rated to IP67
- ECE approved, Reg7
- Cable Length: 220mm
- Dimensions: 86mm x 67mm x 44mm



Part No.

BASL5

Rubber Marker Lamp /w Side Marker

- 12/24V
- Front and rear position
- Shock, water & dust proof
- Ingress Protection: IP67
- ECE & EMC approved
- Cable Length: 200mm
- 5 year warranty
- Dimensions: 82mm x 101mm x 66mm



Part No.

LED1005RWM

Oblique Outline Marker Lamp Red & White



- 12/24V
- Short oblique stalk
- E Marked. Protected to IP68
- Bolt Hole: 76mm Across
- Flying leads: 50cm twin core
- L 109mm x W 32mm x H 138mm



Part No.

0-172-31

0-172-30

Configuration

Left Hand

Right Hand

Short Stalk LED Marker Lamp with Side Marker

- 12/24V
- Front and rear position with side marker
- BS/PC Black housing
- PMMA Lens
- EPDM Arm 180°



Part No.

BASL7401L

BASL7401R

Configuration

Left Hand

Right Hand

Mini Stalk Lamp



12V only
 6 LEDs
 Front / Rear
 Distance between fitting bolts - 55mm
 H. 55 x W. 66 mm

Part No.	BASL9
-----------------	-------

LED Number Plate Lamp 12/24V



- Universal white LED number plate lamp
- L 93mm x W 30mm x H 47mm
- ECE approved

Part No.	0-453-80
-----------------	----------

LED Licence Plate Lamp 12/24V



Shock, water and dust proof with low LED current draw.

Part No.	BANP7502
-----------------	----------

Hamburger Multi Function LED Rear Lamp



- 12/24V
- 3 Function: Stop / Tail / Indicator
- Strong acrylic lens
- High-brightness LEDs
- Shock, water and dust proof
- IP67 Ingress protection
- ECE & EMC Approved

Part No.	Type	Dimensions
LEDHBL140STIM	Deep	140mm x 83mm
LEDHB140STIM	Slim	140mm x 40mm

Rear LED Fog Lamps



- 12/24V
- 1 Function: Fog
- Strong acrylic lens
- High-brightness LEDs
- Shock, water and dust proof
- IP67 Ingress protection
- ECE & EMC Approved

Part No.	Type	Dimensions
LEDHBL140FM	Deep	140mm x 83mm
LEDHB140FM	Slim	140mm x 40mm

Rear LED Reverse Lamps



- 12/24V
- 1 Function: Reverse
- Strong acrylic lens
- High-brightness LEDs
- Shock, water and dust proof
- IP67 Ingress protection
- ECE & EMC Approved

Part No.	Type	Dimensions
LEDHBL140WM	Deep	140mm x 83mm
LEDHB140WM	Slim	140mm x 40mm

Rear LED Stop & Tail Lamp



- 10-33V DC
- Wattage: 2/0.5W
- Red lens
- IP67 Ingress protection
- E-Approved
- 94 x 94 x 36mm

Rear LED Indicator, Stop & Tail Lamp



- 10-33V DC
- Wattage: 2/0.5W
- Clear lens
- IP67 Ingress protection
- E-Approved
- 94 x 94 x 36mm

Part No.	BARL4500
----------	----------

Part No.	BARL4502
----------	----------


Rear LED Fog Lamp



- 10-33V DC
- Wattage: 2W
- Red lens
- IP67 Ingress protection
- E-Approved
- 94 x 94 x 36mm

Part No.	BARL4503
-----------------	----------

LED Front Position & Indicator Lamp



- 10-33V DC
- Wattage: 0.5-1.5W
- Clear lens
- IP67 Ingress protection
- E-Approved
- 94 x 94 x 36mm

Part No.	BARL4504
-----------------	----------

LED Reversing Lamp



- 10-33V DC
- Wattage: 1.5W
- Clear lens
- IP67 Ingress protection
- E-Approved
- 95 x 95 x 36mm

Part No.	BARL4505
-----------------	----------

LED Indicator Lamp



- 10-33V DC
- Wattage: 2W
- Amber lens
- IP67 Ingress protection
- E-Approved
- 94 x 94 x 35mm

Part No.	BARL4506
-----------------	----------

Dual Mount Fog Lamp 12V



Can be mounted to your car by bracket or on the surface.

Includes bracket and bulbs.

- 21 W
- 88 x 85 x 56mm

Part No.	RINRL014
-----------------	----------

Lamp Base for Surface Mount



- Resilient ABS plastic
- 46 x 100 x 100mm
- For use with 4500 series

Part No.	BARL4510
-----------------	----------

Rear Light Cluster



- 10-30V
- Stop / Tail / Indicator / Reverse / Fog
- 5 Function Tail Light with progressive indicator
- IP67 Ingress protection
- R23, R38, ECE R3, ECE R10, R6, R7 approved
- 284 x 100 x 38 mm
- 2 year warranty

Part No.	BARL853
-----------------	---------

Rear Light Cluster



- 10-30V
- Stop / Tail / Indicator / Reverse / Fog
- R23, R38, ECE R3, ECE R10, R6, R7 approved
- 284 x 100 x 38 mm

Part No.	Type
0-071-61	Right
0-071-60	Left

Universal Rear Combination Lamp (Qty 1)



- Universal lamp for transit pick up etc
- Stop/Tail/DI/Rev/Reflex Reflector
- E mark approved
- L. 362mm H. 95mm x D. 58mm

Part No.	Type
BARL40	Lamp
BARL39D	Lens

6 & 7 Function Rear Lamps (Qty 1)



470 x 130 x 85mm


This selection of rear lamp modules features various degrees of functionality, perfect for all kinds of applications, including RV's or trailers.

Features: Stop, tail, directional indicator, fog lamp, reverse and side marker. Select models also include a number plate lamp.

Part No.	Description	Type
BARL31LH	Left with plate lamp	Cable gland
BARL31RH	Right with plate lamp	Cable gland
BARL31U	Universal with no plate lamp	Cable gland
BARL32LH	Left with plate lamp	8 pin schlemmer
BARL32RH	Right with plate lamp	8 pin schlemmer
BARL31L	Flat Lens	Lens
BARL33L	Ribbed Lens	Lens

DAF XF106 Euro 6 Rear Lamp LED 8 Pin Plug Connector


Voltage: 24V
Hand Drive: LHD/
RHD Width: 160mm
Type: LED
Suitable for: DAF
XF106 Euro 6 :
2013 – Present



Code	Side	NP Lamp	OE Number
BARL55400	Right	No	1981861
BARL55402	Left	Yes	1981863

Merc Actros MP4 Rear Lamp 7-Pin

Voltage: 24V
Hand Drive: LHD/
RHD
Width: 135mm
Suitable for:
Mercedes Actros
MP4 07/2011




Replacement lens: BARL5704

Code	Side	NP Lamp	OE Number
BARL5904	Right	No	003-544-0803 003-544-1603
BARL5906	Left	Yes	003-544-0803 003-544-1603

Volvo FH4/FM4 Renault EURO 6 Rear Combi Lamp LED Din Plug Side Entry

Voltage: 24V
Hand Drive: LHD/RHD
Width: 160mm
Suitable for:
Renault EURO 6 - T/K/
C/D: 12/2017 –
Present
Volvo FH4/FM4: 2012
- Present




Replacement lens: BARL5701

Code	Side	NP Lamp
BARL5919	Right	No
BARL5921	Left	Yes

DAF LF45/LF55 Euro 6 Side DIN Connector


Voltage: 24V
Hand Drive: LHD/
RHD Width: 152mm
Type: LED
Suitable for: DAF
LF45 / LF55 Euro 6
: 2013 – Present



Code	Side	NP Lamp	OE Number
BARL55404	Right	No	2007611
BARL55406	Left	Yes	2007612

Merc Actros MP4 Rear Lamp 7-Pin LED

Voltage: 24V
Hand Drive: LHD/RHD
Width: 135mm
Type: LED
Suitable for: Mercedes
Actros MP4 07/2011



Replacement lens: BARL5704

Code	Side	NP Lamp	OE Number
BARL5929	Right	No	003-544-0803 003-544-1603
BARL5931	Left	Yes	003-544-0803 003-544-1603

Volvo FH4/FM4 Renault D (18T) 157mm Rear Lamp LED Din Plug


Voltage: 24V
Hand Drive: LHD/RHD
Width: 160mm
Suitable for:
Renault EURO 6 - T/K/
C/D: 12/2017 –
Present
Volvo FH4/FM4: 2012
- Present



Replacement lens: BARL55327

Code	Side	NP Lamp
BARL55325	Right	No
BARL55324	Left	Yes

7 Function Ribbed Light Cluster (Qty 1)



Ribbed seven function rear light cluster with number plate lamp and 7 pin AMP connector.

Curved lens also available.

Part No.	Description
BARL45LH	Left Hand Ribbed Lamp
BARL45RH	Right Hand Ribbed Lamp
BARL45L	Left Hand Lens
BARL47L	Right Hand Lens
BARL52L	Universal Curved Lens

Misc Rear Cluster Lamps



Part No.	Description
BARL61	Universal rear lamp with cable gland
BARL61UA	Universal rear lamp with AMP connector



Part No.	Description
BARL62U	Universal rear lamp, pre-wired
BARL61LA	Lens



Part No.	Description
BARL6323	LH Ford transit chassis cab (2014+)
BARL6322	RH Ford transit chassis cab (2014+)



Part No.	Description
BARL6321	LH Ford transit chassis cab (2014+)
BARL6320	RH Ford transit chassis cab (2014+)



Part No.	Description
BARL5421	Right hand euro cargo rear lamp
BARL5422	Left hand euro cargo rear lamp
BARL5721	Lens



Part No.	Description
BARL5431	Right hand euro cargo rear lamp
BARL5432	Left hand euro cargo rear lamp
BARL5731	Right hand Lens
BARL5732	Left Hand Lens



Part No.	Description
BARL5471	Right hand rear lamp
BARL5472	Left hand rear lamp
BARL5483	Right hand rear lamp, rear cable entry
BARL5458	Left hand rear lamp, rear cable entry
BARL5771	Right hand lens
BARL5772	Left hand lens

Pair of LED Rear Lamps - 24V



- 60 LEDs
- Stop / Tail / Turn / Reverse / Fog
- Distance between fitting bolts - 155mm
- Fully European approved
- L. 440 x W. 95 x D. 80mm



Part No.	BARL440
----------	---------

Square Compact LED Combination Lamp (Qty 1)



- 12/24V
- Stop / Tail / Indicator / Reflector
- Fully Waterproof IP67
- Patented LED Autolamps 4-pin plug
- ECE & EMC approved
- Shock, water & dust proof
- Dimensions: 100mm x 100mm x 22mm

Part No.	Qty
LED100ARME	Single Pack
LED100BARE2	Twin Pack

Rectangle Compact LED Combination Lamp (Qty 1)



- 12/24V
- Stop / Tail / Indicator / Reflector
- Fully Waterproof IP67
- Patented LED Autolamps 4-pin plug
- ECE & EMC approved
- Shock, water & dust proof
- Dimensions: 150 x 80 x 24mm

Part No.	Qty
LED150ARME	Single Pack
LED150BARE2	Twin Pack

5 Function Universal LED Rear Combination Lamp - 12/24V



- Stop/tail/indicator/number plate/reflex reflector
- 300mm Flying leads
- Protected to IP66
- Polycarbonate lens
- L 111 x W 101 x H 50mm
- E-Marked ECE R10, R3, R4, R6 & R7 approved

Part No.	Qty
	0-294-80

Magnetic Trailer Lamps

- 12V
- Stop, Tail, Indicator and Plate lamp
- PVC Body with ACR Lens
- 7.5m cable
- 2.5m between lamps
- 7 pin connection
- IP67 rated



Part No.

BATB1

Magnetic LED Trailer Lamps

- 12V
- Stop, Tail, Indicator and Plate lamp
- PVC Body with ACR Lens
- 7.5m cable
- 2.5m between lamps
- 7 pin connection
- IP67 rated



Part No.

BATBLED1

Trailer Board with Fog Light

- 12V
- Stop, Tail, Fog, Reflector and Plate lamp
- PVC Body with ACR Lens
- 44 LEDs
- 7 pin connection
- IP67 rated
- ECE Approved



Part No.

Board Length

Cable Length

BATBLED2

4 foot

7 metres

BATBLED3

5 foot

12 metres

Magnetic Wireless LED Tail Lights



- Stop, Tail, Indicator
- Wireless Transmission Control: 20 Meters
- Usage time: 10 hours
- Mount: Magnetic
- Colour: Amber, Red, White
- IP67 rated
- 50,000 hours service life
- ECE Approved
- 108 x 102 x 76mm

Part No.

BAEL701

Plugs, Sockets and Adaptors

BATP1



BATP2



BATP3



BATP4



BATP5



BATS1



BATS2



BATS3



BATS4



BATS5



BATA1



BATA2



Part No.	Type	Configuration	Material
BATP1	Plug	7-pin 12N	Aluminium
BATP2	Plug	7-pin 12N	Plastic
BATP3	Plug	13-pin	Plastic
BATP4	Plug	7-pin 24N	Aluminium
BATP5	Plug	7-pin 12S	Plastic
BATS1	Socket	7-pin 12N	Aluminium
BATS2	Socket	7-pin 12N	Plastic
BATS3	Socket / Gasket	13-pin	Plastic
BATS4	Socket	7-pin 24N	Aluminium
BATS5	Socket	7-pin 12S	Plastic
BATA1	Adaptor	7 to 13 pin	Plastic
BATA2	Adaptor	13 to 7 pin	Plastic

Pre-Wired Socket & Plate



- 12V
- 7-pin 12N
- 2 metres of cable
- Mounting plate

Pre-Wired Twin Socket & Plate



- 7-pin 12N & 12S
- 2 x 1.5 metres of cable
- Mounting plate

Part No. BATPWS

Part No. BATPWSD

Round LED Work Lamp - 18w



- 10-30V
- 6 x 3w LEDs (18w)
- 1250 Lumens
- Aluminium housing
- Poly-carbonate lens
- IP68 Ingress protection
- -45°C to +85°C

Part No.

BAWL24

Square LED Work Lamp - 18w



- 12-24V
- 9 x 2w LEDs (18w)
- 1000 Lumens
- Aluminium housing
- Poly-carbonate lens
- IP67 Ingress protection
- Single bolt fixing

Part No.

GUWL50E

Round LED Work Lamp - 27w



- 10-30V
- 9 x 3w LEDs (27w)
- 1800 Lumens
- Aluminium housing
- Poly-carbonate lens
- IP68 Ingress protection
- 135mm x 114mm x 40mm

Part No.

BAWL27

Square LED Work Lamp - 27w



- 9-32V
- 9 x 3w LEDs (27w)
- 1800 Lumens
- Aluminium housing
- Poly-carbonate lens
- IP67 Ingress protection
- 133mm x 107mm x 35mm

Part No.

GUWL50HPE

Round LED Work Lamp - 42w



- 4500 Lumens
- Protected to IP69K
- 5000 - 6500K Colour temperature
- Low current draw, 2.8 Amp
- L 116 x W 65 x H 136mm

DURITE

Part No.

0-420-87

Square LED Work Lamp - 48w



- 10 - 30 volt
- 16 x 3 watt SMD LEDs & 3360 Lumens
- Single Bolt Fixing
- Current Draw at 12v is 3A
- Rated IP67, EMC, CE & E Approved
- H.137mm W.110mm D.70mm

Part No.

GUWL77

Combo LED Work Lamp - 46.2w



- 10-30V
- 42 x 1.1w LEDs (46.2w)
- 3400 Lumens
- Combo beam
- IP67 Rated
- ECE R10 Rated
- 108 x 140 x 60mm

Part No.

BAWL634

Work Lamp 9 x LED



- 12/24V
- Flood Beam
- 9 x 3w LEDs
- Lumens:1700lm
- IP Rating: IP67
- Dimensions: L 114mm x W 43mm x H 136mm
- E-Marked, EMC R10

Part No.

0-420-47

360° Swivel Work Lamp - 90w



- 9-32V DC
- 9 x 10 watt OSRAM LEDs
- 6000 Lumens
- IP68 Rated
- Flood Beam
- H. 157 x W.90 x L.125mm

Part No.

GUWL82

4" Work Light Bar - 18w



- 9-30V DC
- 6063 Aluminium profile
- Tempered glass lens
- 4D Reflector
- IP67 Rated
- Pure White 6000K
- 50,000 hours lifespan

Part No.

BAWL11

ADR LED Work Lamp - 27w



- 9-32V
- 9 x 3 watt LEDs
- 2200 Lumens
- IP67 Rated
- Flood Beam
- H. 135 x W.108 x L.108mm

Part No.

BAWL83

LED Work Lamp - 48w



- 9-32V
- 16 x 3 watt LEDs
- IP67 Rated
- Spot Beam
- 140 x 60 x 110mm

Part No.

BAWL23

CREE LED Work Lamp

- 10-80V
- 18w (6 x 3W)
- 1 Bolt bracket mount
- IP67 Rated
- 1260 Lumens
- Spot Beam
- ECE R10 Approved
- L. 160 x H. 47 x D. 56mm



Height excludes bracket

Part No.

BAWL52

Compact Flood Beam LED Work Lamp /w DT Connector



- 3200 Lumens
- Flood beam
- 4 x 10W OSRAM LEDs
- Built-in DT connector
- Protected to IP68
- L 78 x W 57 x H 103.2mm
- Aluminium with polycarbonate lens
- CE, E-Marked R10, EMC approved

Part No.

0-420-74

Double Row Curved Work Light Bar, 1069mm, 10 - 30V, 80 LEDs



Operating voltage: DC 10V-30V
 Super Brightness: Combo beam with triple row and nest reflector cup design in the middle for extreme light efficiency.
 High quality aluminium housing, stainless steel adjustable mounting bracket and shatterproof lenses with IP67 waterproofing.
 Safety rating: CE, ROHS
 Watts: 540

Part No.	BAWLB9
-----------------	---------------

Single Row Work Light Bars



- 10-30V
- 2 Bolt fixing
- IP68 Rated
- 30° Beam Angle
- Aluminium housing
- Reverse Polarity Protection

Part No.	Watts	Lumens	Dimensions
BAWLB1	50	2100	300 x 70 x 85mm
BAWLB13	110	6300	608 x 65 x 80mm

1380mm Dual Row Work Light Bar - 300w



- 10-30V
- 2 Bolt fixing
- IP67 Rated
- 18000 Lumens
- Combo beam pattern
- Aluminium housing
- Poly-carbonate lens
- Reverse Polarity Protection
- CE and EMC approved
- L.1380 x H.115 x D.85mm

Part No.	BAWLB14
-----------------	----------------

Fork Lift LED Perimeter Lamp



- 10-80V
- 2 x 3w output
- 200 Lumens
- Red or blue beam
- IP65 rated
- 1-bolt fixing
- 78 x 79 x 54 mm

Part No.

BAWLR1

Fork Lift Blue LED Arc Lamp



- 9-32V
- 20w output
- Blue arc beam
- Aluminium housing
- IP68 rated
- 1-bolt fixing
- 30000 hours

Part No.

BAWLBL4

Fork Lift Blue LED Arrow Lamp



- 10-80V
- IP67
- ECE Approved
- Arrow Shape
- Cable: 450mm
- 98 x 75 x 73mm
- 3 year warranty

Part No.

LEDFLBA01

Fork Lift Red LED Arrow Lamp



- 9-80V
- 15w output
- Red arrow beam
- Aluminium housing
- IP67 rated
- 1-bolt fixing
- 30000 hours

Part No.

0-420-14

Work Light Bar with Directional Indicators



Featuring a thermally-conductive proprietary technology housing.

This light bar is resistant to the shock and vibration.

Ideal for front bumpers, and rooftop brackets.

- 9-32V
- Directional indicator
- Day running light
- Waterproof Rate: IP68
- Material: Aluminium alloy

Part No.	Watts	Lumens	Dimensions
BAWLB6	60	6480	305 x 89 x 85mm
BAWLB8	210	19680	940 x 89 x 85mm

Nebo Big Larry Pro Rechargeable Magnetic Torch



The brightest Larry yet, BIG Larry PRO is equipped with a high-power, COB LED work light technology, Big Larry PRO outputs 500 lumens of intense light.

- Main - 500 Lumens, 4.5 hour runtime, 37m beam
- Red - 45 Lumen, 8 hour runtime, 13m beam
- Red Flash - 2 hour runtime, 13m beam
- Li-ion rechargeable battery

Part No.

GUNE6640

Sealey Rechargeable LED Swivel Inspection Light (Qty 1)



Part No.

SELED1001

Super bright 8W COB LED provides up to 1000 lumens output with 120° spread of light, illuminating the whole work area.

Smooth 90° flex with additional 360° twist function enables the light source to be positioned in any direction.

Includes an additional high power 1W LED directional torch

Nebo lil Larry Pocket Light



The LIL LARRY features a 250 lumen LED, Flex-Power technology, 3 lights modes, strong steel clip, and an aircraft-grade aluminium body.

Secondary light modes include Low (95 lumens) and the Emergency Red Flash mode.

- Height : 151mm
- Diameter: 15mm

Part No.

GUNE6373

Nebo Inspector LED Pen Light- 180 Lumens



The INSPECTOR is an innovative, powerful pocket light that features a removable steel clip and Soft-Touch Technology, which provides momentary operation when the light is off.

3 Light Modes

High (180 lumens) - 2 hours / 84 metres

Low (54 lumens) - 6 hours / 46 metres

Strobe (180 lumens) - 50 minutes / 84 metres

Part No.

GUNE6713

225mm Rotatable Interior Lamp

- 12 - 24V
- 60 Lumens
- 10 Warm LEDs
- 180° Rotation
- Aluminium body
- On/Off Rocker switch
- Current Draw @ 13.8V = 0.12Amps
- L. 225 x W. 35 x D. 33mm




Part No.

BAINT1

470mm Rotatable Interior Lamp

- 12 - 24V
- 120 Lumens
- 10 Warm LEDs
- 180° Rotation
- Aluminium body
- On/Off Rocker switch
- Current Draw @ 13.8V = 0.37Amps
- L. 470 x W. 35 x D. 33mm



Part No.

BAINT2

410mm Interior Strip Lamp



- Lumens: 700lm (raw)
- Touch sensitive on/off switch
- 3 year warranty
- Dimensions: 410mm x 40mm x 11mm



Part No.	Volts
LED40410S	12
LED40410S-24	24

262mm Interior Lamp



- 12/28V
- 12 Watt
- 960 Lumens
- 48 LEDs
- Aluminium body
- Acrylic lens
- On/Off Switch
- L. 262 x W. 100 x D. 28mm

Part No.	BAINT3
----------	--------

Disc Horns - 112 Decibels



Part No.	Tone	Voltage
GUD2H12	High	12V
GUD2H24	High	24V
GUD2L12	Low	12V
BAHDL24	Low	24V

Shell Horns - 110 Decibels



Part No.	Tone	Voltage
BAHSH12	High	12V
BAHSL12	Low	12V
BAHSH24	High	24V
BAHSL24	Low	24V
BAHSN48	Normal	48V

Reverse Alarm - Standard

- 12 - 80 volt
- 4 Bolt Fixing
- 97dB
- Rated IP67
- E Mark Approved
- L.100mm H.63mm W.41mm



Part No.	GURA15
----------	--------

Reverse Alarm Multi Frequency

- 12/24V
- Current @ 80vdc 0.2A
- CE and 'E' marked (EMC)
- 92 dB sound level
- Fully weatherproof / pressure washable
- Reverse polarity protected
- Epoxy encapsulated housing



Part No.	BARA97MF
----------	----------

White Noise Reversing Alarm

- 12/24V
- Heavy Duty
- Rated IP67
- Universal Mounting
- White Noise 107dB +/-4dB
- Frequency (kHz): 800 - 4000Hz
- CE and ECE R10 Approved



Part No.	BARA107MF
-----------------	-----------

Reverse Alarm - Multi Frequency

- 12 - 80 volt
- 4 Bolt Fixing
- 102dB
- Multi frequency



Part No.	BARA102MF
-----------------	-----------

BAE Entry Level Media Player



- FM/RDS
- 30 pre-set stations, automatic memory
- LCD display
- 4 Channels out (4x 45W)
- Front AUX in, RCA line Out
- BASS/TRE/BLA/FAD Adjustable
- Resistant to dust and shock
- Detachable Panel
- Bluetooth

Part No.	BAMU1302
-----------------	----------

Pioneer MVH-S120UB Single DIN Stereo



Specifically designed for digital music, the MVH-S120UB connects directly to Android smartphone and other devices via the front USB or Aux-In.

This short chassis stereo includes an on-board MOSFET 50 W x 4 amplifier, and for further expansion, it also has 1 RCA pre-out at the back of the unit, allowing you to install extra amplifiers, speakers or sub-woofers.

Part No.	ZPIOMVHS120UB
-----------------	---------------

Pioneer MVH-S320BT Single DIN Bluetooth Stereo



Part No. | ZPIOMVHS320BT

Pioneer Smart Sync app, which will take your smartphone to a whole new level.

It reads FLAC files, is equipped with a 13-band Graphic EQ, 2 RCA pre-outs, an on-board MOSFET 50 W x 4 amplifier, making the MVH-S320BT the perfect partner on any journey.

Bluetooth connectivity allows for safe and convenient hands-free calling, as well as wireless music streaming from your smartphone.

Pioneer MVH-130DAB Mechless DAB Radio



Part No. | ZPIOMVH130DAB

This 1-DIN DAB+ receiver is very easy to use and control thanks to its large Rotary Commander.

Its integrated DAB/DAB+ tuner lets you enjoy crystal-clear digital audio and interference-free reception. The integrated hard key pre-set buttons make it simple to save and select your favourite radio stations.

Pioneer DEH-S120UB CD Stereo




Part No. | ZPIDEHS120UB

1-DIN CD Tuner with RDS tuner, USB and Aux-In, The DEH-S120UB lets you enjoy your favourite music from FM radio stations, CDs, Android smartphones, USB devices or via an aux-In connection.

With on-board MOSFET 50 W x 4 amplifier. If that is not enough, you can always use the RCA pre-out to connect other components

Pioneer DEH-S320BT CD Stereo with Bluetooth



Pioneer DEH-S320BT 1-DIN CD Tuner with Bluetooth, USB, Spotify, Pioneer Smart Sync App and compatible with Android devices.

It reads FLAC files and is equipped with a 13-band Graphic EQ and an on-board MOSFET 50 W x 4 amplifier. Utilising the 2 RCA Connect other components.

You can even connect two Bluetooth phones simultaneously.

Part No. | ZPIODEHS320BT

Blaupunkt Milano CD & Bluetooth Stereo



- FM/RDS Tuner
- Fast reading from USB
- Bluetooth (HFP, A2DP)
- MP3 & WMA playback
- 4 Channel Equaliser
- Antenna, USB and AUX inputs
- 4 Speaker outputs
- 2 Channel RCA pre-amp output
- 188mm x 58mm x 165mm

Part No. | ZBLMILANO200BT

Blaupunkt Stockholm CD, DAB & Bluetooth Stereo



- DAB/DAB+ Tuner
- Fast reading from USB
- Bluetooth (HFP, PBAP, A2DP)
- Hands free calling with built in mic
- MP3 & WMA playback
- Equaliser: Rock, Pop, Classic (X-BASS)
- Antenna, USB, SDHC & AUX inputs
- SD Card input behind panel
- 4 Channel pre-amp output (4V)

Part No. | ZBLSTOCKHOLM

Blaupunkt Dubai Heavy Duty CD, DAB & Bluetooth Stereo 24V



- DAB/DAB+ Tuner
- Front and rear USB-A
- Bluetooth (HFP, PBAP, A2DP, SSP)
- Hands free calling with built in mic
- MP3 & WMA playback
- Equaliser: Rock, Pop, Classic (X-BASS)
- Antenna, USB, & AUX inputs
- 4 Channel pre-amp output

Part No. | ZBLDUBAI324BT

Blaupunkt Dakar Heavy Duty Stereo with Remote 24V



- Audio Playback from CD or USB
- Supplied with Handheld remote control
- Bluetooth (HFP, PBAP, A2DP, SSP, AVRCP)
- Hands free calling with built in mic
- MP3 & WMA playback
- Equaliser: Rock, Pop, Classic (X-BASS)
- Antenna, USB, & AUX inputs
- 4 Channel pre-amp output (2V)
- Sub-woofer out

Part No. | ZBLDAKAR224BT

Pioneer TS-G1010F Dual Cone Speakers



- 190W Max
- 100mm Diameter
- Cut-out Hole: 106 mm
- Mounting Depth: 43 mm

Part No. | ZPIOTSG1010F

Pioneer TS-G1320F Coaxial Speakers



- 280W Max
- 130mm Diameter
- Cut-out Hole: 121 mm
- Mounting Depth: 44.3 mm

Part No. | ZPIOTSG1320F

Bury 9056+ Touchscreen Hands-free Bluetooth Car Kit



- MP3-playback from mobile phone
- Hands-free calling
- Automatic radio mute function when calling
- Dial number - dial a known number from the available entries or enter a new number
- Text display - display of text messages, e-mails or phone book entries
- Touch screen - operation of the device using a touch-sensitive screen
- Display shows contacts, call log, battery level, reception quality

Part No. | ZBURYCC9056PLUS

Hella Conventional Blades



Part No.	Length
HEWPR11	11"
HEWPR14	14"
HEWPR15	15"
HEWPR16	16"
HEWPR17	17"
HEWPR18	18"
HEWPR19	19"
HEWPR20	20"
HEWPR21	21"
HEWPR22	22"
HEWPR23	23"
HEWPR24	24"
HEWPR26	26"



Part No.	Length
HEWTR20	20"
HEWTR22	22"
HEWTR24	24"
HEWTR26	26"
HEWTR28	28"
HEWTR32	32"
HEWTR36	36"
HEWTR40	40"

Bosch Aerotwin Plus Flat Blades



Part No.	Length
BOAP13U	13"
BOAP15U	15"
BOAP16U	16"
BOAP17U	17"
BOAP18U	18"
BOAP19U	19"
BOAP20U	20"
BOAP21U	21"
BOAP22U	22"
BOAP24U	24"
BOAP26U	26"
BOAP28U	28"
BOAP30U	30"

Hella Flat Blades



Part No.	Length
HEST35	14"
HEST38	15"
HEST40	16"
HEST45	18"
HEST48	19"
HEST50	20"
HEST53	21"
HEST55	22"
HEST60	24"
HEST65	26"
HEST70	28"

Bosch Conventional Twin Truck Blades



Part No.	Length
BO609	600mm
BON53	500mm
BON55	550mm
BON63	600mm
BON65	650mm
BON70	700mm

Powerwash Ultra Concentrate

Dilutes with water to make 25 litres of top quality, ready-to-use TFR at an economy price.

Suitable for all vehicle types.

Pre-Dilution: 1:9 to create 25 litres of ready to use TFR.



Part No.	SWAPUC25L
-----------------	-----------

Heavy Duty Cleaner 4L

4 Litre Heavy Duty Cartridge contains a highly refined hydrocarbon solvent which quickly and effectively dissolves oil and grease.

Suitable for deeply ingrained oil, grease, tar, diesel, creosote and carbon.



Part No.	SWASHD4LC
-----------------	-----------

Orange Hand Cleaner 4L

Swarfga Orange is an extremely pleasant to use, yet highly effective natural hand cleaner.

Solvent free, it contains wheat germ extracts to moisturise and protect the skin from drying while removing oil, grease and general soiling quickly and efficiently.



Part No.	SWASOR4LC
-----------------	-----------

Duck Oil 5L

A silicone-free, non-conductive, low surface tension oil.

Displaces water and can be used as a damp starter and light degreaser.

It insulates electrics due to its high dielectric strength and can be used on all types of electrical equipment.



Part No.	SWASDO5L
-----------------	----------

Brake And Clutch Cleaner 5L

Removes oil, grease, pad and clutch dust safely.

Removes the protective coating from replacement disks fast.

Cleans clutch plates, leaves no residue.

Eliminates brake squeal and clutch slip caused by contamination.



Part No.	BABC5L
-----------------	--------

Brake & Clutch Cleaner

Quick cleaner for brake and clutch parts.

Removes oil, dirt and silicone residues.

Rapid evaporation.

Leaves no residue.



Part No.	BABC500ML
-----------------	-----------

Screen Wash 5L

Arctic formula screen wash is a highly concentrated glass cleaner that de-ices and protects in extreme weather conditions.

Suitable for summer and winter use down to -20C

Perfumed, non-smear and fast action.



Part No.

SW5L

De-ionised Water 25L

De-ionised water is perfect for maintaining your lead-acid batteries with a top-up.

It can also be used in engine cooling systems to reduce scaling and corrosion as well as air-conditioning units.

De-ionised water helps to prevent furring.



Part No.

BAEDW25

Red Anti-Freeze Coolant 5L

Polygard Red Antifreeze and summer coolant uses long life OAT additives and can be kept in the system throughout the year to maintain maximum protection.

It has a 5 year or 100,000 mile life and is suitable for both petrol and diesel engines.



Part No.

AF5R

Blue Star De-icer Aerosol 500ml

CarPlan Blue Star De-icer is a fast acting de-icer, formulated to effectively defrost windscreens leaving a clear finish for increased visibility.

Melts ice fast and helps prevent re-freezing down to -15°C.



Part No.

DIAERSOSOL

Ethylene Glycol Antifreeze Tester



Checks condition of coolant antifreeze, hot or cold.


Freeze protection level is indicated by the number of the six large coloured discs which float in the sample.

Easy-to-read temperature table on the virtually unbreakable plastic body.

Part No.

SEAK4120

Propylene Glycol Antifreeze Tester



Tests modern propylene glycol coolant antifreeze, hot or cold.

Protection level is indicated by the number of the five large coloured discs which float in the sample.

Easy-to-read temperature table on the virtually unbreakable plastic body.

Part No.

SEAK4122

Flexible Monocrystalline Solar Panel Kit - 130 Watts, 12V

This Solar Kit can be used for several different purposes, including cottages, cabins, boats, RVs, Campers, etc.

Designed for long term outdoor use with a sealed edge rated IP65 waterproof.

Solar controller has short-circuit protection, open-circuit protection, reverse protection, over-load protection. Fully 3-stage PWM charge management, improve system efficiency and prolong the life span of the battery.

Kit contents:

- 30 Watt 12V Flexible Mono solar panel
- The 30A PWM LCD Display Solar Charge Controller Regulator
- 12AWG 16.4FT Solar Extension Cables
- 16mm² 35cm Battery Interconnect Cable



Part No.

BASP130A

Semi Flexible Solar Panel 100W

Crystalline silicon semi flexible solar panel.

- Power Max: 100W
- Tolerance: +/-5%
- Vamp: 18V
- Imp: 5.55A
- Voc: 21.6v
- Isc: 6.66A
- System voltage: 800V
- 1050 x 540 x 3mm



Part No.

BASP100

Semi Flexible Solar Panel 150W

Crystalline silicon semi flexible solar panel.

- Power Max: 150W
- Tolerance: +/-5%
- Vamp: 36V
- Imp: 16A
- Voc: 43.2v
- Isc: 4.99A
- System voltage: 800V
- 1180 x 668 x 3mm



Part No.

BASP150

Small Solar Panel 4.5W

Charging for your car battery, electronic devices or other 12V rechargeable battery designed with the solar power.

Two elastic straps of the back, convenient to set in the sun visor.

370 x 100 x 5mm



Part No.

BASP4

Solar Panel Controller 12/24V

Automatically manage the work of solar panels and batteries in solar panels.

Rated charging current: 10a, 20a, 30a

Fully 4-stage PWM charge management.



Part No.

BASPC30

Diesel Powered Air Parking Heaters

Kit Contents including electronic thermostat and 10 litre Fuel tank.

Material: Die-Casting Aluminium + Plastic

Weight 6.5KGS

Working Temperature: -40 —+20

Dimensions 460 x 460 x 290mm



Part No.	Voltage	Kilowatts	Consumption
BAPH122	12V	2KW	0.23-0.5 L/H
BAPH242	24V	2KW	0.23-0.5 L/H
BAPH125	12V	5KW	0.12-0.24 L/H
BAPH245	24V	5KW	0.12-0.24 L/H

Everstart Marine & Leisure Calcium MF Batteries



Part No.	Capacity (AH)	Dimensions (LxWxH)
BAECMF85	85	260 x 170 x 200mm
BAECMF110	110	315 x 170 x 200mm
BAECMF110L	110	350 x 173 x 190mm

The batteries displayed here represent only a partial selection from our range. For a full list, or to check for availability, please contact us directly or visit our website.

www.bae-bristol.co.uk/catalogue/batteries

XDC Series Extra Deep 1000 Cycle Tin



The XDC Series 1000 is a hybrid adaptation on traditional Deep Cycle AGM's and by utilising the latest technologies we have managed to significantly increase the charge & discharge capabilities, as well as increasing the batteries life span by an additional 40 – 60%.

Part No.	Capacity (AH)	Dimensions (LxWxH)
BAEDC1224XDC	24	181 x 77 x 170mm

SML Twin Terminal Leisure Battery (12V)



Part No.	Capacity (AH)	Case Size
BAEDC1285DTSML	85	G24
BAEDC12100DTSML	100	G27
BAEDC12110DTSML	110	G31

Deep Cycle AGM Batteries (12V)



Part No.	Capacity (AH)	Terminals	Dimensions (HxWxL)
BAEDC1212	12	F2	95 x 98 x 151mm
BAEDC127	7	F1	94 x 65 x 151mm
BAEAGM1220	20	Right +	167 x 77 x 181mm

DC Power Deep Cycle AGM 600 Batteries (12V)



Part No.	Capacity (AH)	Terminals	Dimensions (HxWxL)
BAEDC1255DC	55	M6	211 x 137 x 228mm
BAEDC1280DC	80	G24	211 x 170 x 260mm
BAEDC600S12110LL	110	M6	180 x 167 x 350mm

Trojan Batteries

Trojan's deep-cycle flooded batteries are the flagship of Trojan's product portfolio. Engineered to provide rugged durability, outstanding performance and long life, Trojan's deep-cycle flooded batteries are perfectly suited for use in a variety of golf and electric vehicles.



Part No.	Capacity (AH)	Dimensions (HxWxL)
BAEDCTS105	215	281 x 181 x 262mm
BAEDCTS305	295	366 x 174 x 312mm
BAEDCTL16	390	313 x 174 x 417mm
BAEDCTS875	165	283 x 179 x 259mm

TAB Polar Batteries

Tab Polar is a battery produced using Ca/Ca expanded metal technology. Tab Polar is real all rounder offering excellent power, capacity, cold start performance and reliability.



Part No.	Capacity (AH)	CCA EN (A)	Dimensions (LxWxH)
BAE063	44	390	207 x 175 x 175mm
BAE075	55	550	242 x 175 x 175mm
BAE096	66	600	278 x 175 x 190mm
BAE019	92	800	353 x 175 x 175mm
BAE055	35	270	196 x 128 x 202/223mm
BAE063P	45	420	207 x 175 x 175mm
BAE012	50	450	207 x 175 x 190mm
BAE159	45	360	236 x 128 x 202/223mm
BAE005L	60	600	230 x 173 x 200/220mm
BAE012	73	680	278 x 175 x 175mm
BAE069	75	740	259 x 175 x 200/221mm
BAE086	74	680	278 x 175 x 190mm
BAE335	95	850	306 x 173 x 200/221mm
BAE115	92	800	315 x 175 x 190mm
BAE019M	100	850	353 x 175 x 190mm
BAE017	88	720	353 x 175 x 190mm
BAE664	110	1300	345 x 172 x 218/238mm
BAE642	90	800	330 x 173 x 218/239mm
BAE630	135	850	509 x 175 x 182/208mm
BAE655	125	800	345 x 172 x 269/289mm
BAE627SHD	135	850	513 x 189 x 194/220mm
BAE6TN	110	740	282 x 269 x 208/230mm
BAE020	110	1000	394 x 175 x 190mm
BAE629HD	170	1050	512 x 222 x 194/221mm
BAE629SHD	190	1200	512 x 222 x 194/221mm
BAE625HD	225	1300	518 x 273 x 214/241mm

TAB Magic Batteries

TAB Magic automotive battery utilises the latest innovations in Ca/Ca manufacturing technology, providing for the highest cold start performance and superior reliable power as demanded by the latest generation of cars with high energy drain.



Part No.	Capacity (AH)	CCA EN (A)	Dimensions (LxWxH)
BAE027	66	640	242 x 175 x 190mm
BAE110	85	800	315 x 175 x 175mm
BAE629SMFHD	180	1100	513 x 222 x 221mm
BAE100M	75	720	278 x 175 x 175mm
BAE627SMFHD	140	850	507 x 188 x 200/228mm
BAE075M	62	600	242 x 175 x 175mm
BAE096M	78	750	278 x 175 x 190mm

TAB Stop & Go Batteries

TAB AGM Stop & Go batteries are Valve Regulated Lead Acid (VRLA) batteries intended for use in vehicles with enhanced level Start/Stop function with break energy recuperation.



Part No.	Capacity (AH)	CCA EN (A)	Dimensions (LxWxH)
BAE096AGM	77	760	278 x 175 x 190mm
BAE027SG	60	580	242 x 175 x 190mm
BAE110SG	75	730	315 x 175 x 175mm
BAE019SG	90	850	353 x 175 x 190mm
BAE027AGM	60	680	242 x 175 x 190mm
BAE115AGM	80	800	315 x 175 x 190mm
BAE019AGM	95	850	353 x 175 x 190mm
BAE020AGM	105	950	394 x 175 x 190mm

Automatic Battery Charger – 12V 20A



12 volt 20 amp, input 100 - 240 vac 50 - 60Hz. Including sealed for life, gel and maintenance free.

Micro chip controlled three stage charging, allowing the charger to be left permanently connected without harming the battery.

On/off switch, detachable wall-mount brackets, supplied with crocodile clips and leads.



Part No.

0-647-20

4.12 Smart Charger



Designed for 12V batteries from 1.2 to 70AH, or for maintenance charging up to 130AH.

Winter mode / Start stop AGM batteries.

Part No.

GYS029521

6.12 Smart Charger



Designed for 12V batteries from 1.2 to 70AH, or for maintenance charging up to 170AH.

Winter mode / Start stop AGM batteries.

Part No.

GYS029613

8.12 Smart Charger



Designed for 12V batteries from 15 to 160AH, or for maintenance charging up to 240AH.

Winter mode / Start stop AGM batteries.

Part No.

GYS029545

Automatic Smart Battery Charger

50% shorter charge time compared to a traditional charger. Protection of the on-board electronics. Batium can charge from 1 volt, whereas most chargers cannot.



- Charging Range: 35<225Ah
- Voltage: 6V/12V/24

Part No.

GYS024588

Heavy-Duty Li-Polymer Booster Pack



12/24V Heavy-duty booster pack with 42,000mAh lithium polymer battery. Supplied with 230V UK charger.

- Jump starts all petrol and diesel vehicles up to 16 litres
- Peak current; 1500A
- LCD display with battery state of charge indicator
- USB ports and 3W LED flash light
- L 250 x W 247 x H 95mm
- Cycle life; 1000 times

Part No.

0-649-40

GYS NEOSTART 420



- On board storage for cables and clamps
- Integrated wheels for portability
- Cables Ø 10 mm², (length: red - 2m, black - 1.8m)
- Externally visible and easily accessible fuse
- Large ammeter

The Neostart 420 charges 12V and 24V lead acid batteries from 20Ah to 1000Ah.

It is a traditional charger. Charging must be monitored Starter Function The Neostart 420 can start vehicles with 12V or 24V lead acid batteries from 35Ah to 160Ah.

Part No.

GYS025479

GYS Startium 480E



This is a Starter Charger that is able to charge AGM/Gel (Stop/Start) Liquid batteries and to safely start modern vehicles.

Charge all battery types: Select the charging curve for the battery type - Liquid, Gel, AGM - or if this is not known select the Universal Mode which will ensure a safe charge for any of these battery types.

Choose from 4 charging outputs, 5A, 15A, 20A and 40A.

Timer function which permits safe charging when charging deeply discharge batteries (< 1V).

Part No.

GYS025578

GYS Pack Pro Booster 2 in 1



2 in 1 : Starter & Power Supply

Instantaneous start, GYSPACK PRO instantaneously starts cars, camper vans, vans, petrol or diesel (Peak current is 1750A)

Automatic charger 230V /12V Floating: to charge the internal battery

unsupervised.

Charge the battery up to 100%, maximising its life and efficiency.

Can be left permanently to the main (Gyspack has to be charged after each operation)

Integrated tester to check the level of charge of the internal battery.

Part No.

GYS025523

GYS Startpack Truck 2 in 1



2 in 1 : Starter 12&24V & Power Supply

Startpack TRUCK instantaneously starts trucks, cars, camper vans, vans, petrol or diesel (Starting current 750A/3200A in 12V and 650A/1600A in 24V for peak current)

Automatic charger 230V /12V Floating: to

charge the internal battery unsupervised.

Charge the battery up to 100%, maximising its life and efficiency

Can be left permanently to the main (Gyspack has to be charged after each operation).

Integrated tester to check the level of charge of the internal battery.

Part No.

GYS026339

DBT350 Battery Tester START/STOP

Features

- Battery 12 V: test of the voltage and state of charge.
- Starter 12 & 24 V: test of the start voltage.
- 12 & 24 V Alternator: tests no load voltage and charging voltage as well as current undulation during the charge



Battery Types 7 to 230 Ah

- VRLA / GEL / AGM FLAT / AGM SPIRAL
- STANDARD LIQUID batteries
- START / STOP batteries (EFB/AGM)

Part No.	GYS025868
-----------------	-----------

Battery & Alternator Tester

Features

- Battery 12V: test of the voltage and state of charge.
- Starter 12V: test of the start voltage.
- Alternator 12V: test of no-load voltage and charging voltage.



Instant Analysis

- Battery voltage (7 V to 15 V)
- Available starting power
- State of charge

Part No.	GYS024168
-----------------	-----------

8-Function Digital Multimeter with Thermocouple

Heavy-duty general-purpose multi-meter with clear and easy-to-read LCD display.

Features data hold function, temperature probe and diode test facility.

Housed in rugged rubber boot with integral stand.

Supplied with full set of leads and probes.

Measures

- AC and DC Voltage
- DC Current
- Resistance
- Temperature
- Audible Continuity
- Diode/Transistor Verification Mode



Part No.	SEMM20HV
-----------------	----------

Universal Vehicle Soldering Aid Pliers - 9.69"

Great for cutting wire, removing nozzles, contact tips, hammering, cleaning spatter, and other soldering tools.

Multi-purpose pliers are suitable for welding, electrical work, mechanical work, etc.

This car soldering plier is an auxiliary plier designed to hold two wires while soldering.



Part No.	BAST1
-----------------	-------

Ratchet Crimping Tool

For insulated terminals.

All steel construction with large comfort grip handles and plate stamped jaws.

Ratchet action ensures consistent crimping.

Length: 220mm

Terminal Suitability:
0.5-1mm²,
1.5-2.5mm², 4-6mm²



Part No.

SEAK385

Ratchet Crimping Tool

For non-insulated terminals.

All steel construction with large comfort grip handles and plate stamped jaws.

Ratchet action ensures consistent crimping.

Length: 220mm

Terminal Suitability:
0.5-1mm²,
1.5-2.5mm², 4-6mm²



Part No.

SEAK3852

Superseal Crimping Tool

For Superseal 1.5 terminals.

All steel construction with anti-slip handles and hardened and tempered jaws.

Parallel jaw movement ensures consistent crimp tension.

Terminal Suitability:
0.35-0.5mm², 0.75mm²,
1mm², 1.5mm²



Part No.

SEAK3859

JPT Ratchet Crimping Tool

Ratchet crimping tool for 'Junior Power Timer' terminals, wire sizes 0.5 to 2.0mm².

The crimp must be completed before the tool ratchet can be released.

Pressure can be adjusted.



Part No.

0-703-52

Superseal Crimping Tool

Ratchet crimping tool for 'Junior Timer' terminals, wire sizes 0.5 to 2.0mm².

The crimp must be completed before the tool ratchet can be released.

Pressure can be adjusted.



Part No.

0-703-53

Heat Shrink Ratchet Crimping Tool

Ratchet Crimping Tool for Heat Shrink Terminals

22-18 AWG (1.25mm²)

16-14 AWG (2mm²)

12-10 AWG (5.5mm²)



Part No.

0-703-54

Combination Pliers High Leverage

Hardened and tempered drop-forged Chrome Vanadium steel.

Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires.



SEALEY

Part No.	Length
SEAK8370	175mm
SEAK8371	200mm

Long Nose Pliers High Leverage

Hardened and tempered drop-forged Chrome Vanadium steel.

Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires.



SEALEY

Part No.	Length
SEAK8372	160mm
SEAK8373	200mm

Pliers Set High Leverage 3pc

Contents:

- 190mm Heavy-Duty Side Cutters
- 200mm Combination Pliers
- 250mm Water Pump Pliers.



SEALEY

Part No.	SEAK8376

Pliers Set High Leverage 3pc

Contents:

- 190mm Heavy-Duty Side Cutters
- 200mm Combination Pliers
- 250mm Water Pump Pliers.



SEALEY

Part No.	SEAK8377

Side Cutters Heavy-Duty High Leverage - 190mm

Hardened and tempered drop-forged Chrome Vanadium steel.

Serrated jaws and precision ground cutting edges, induction-hardened 55-65 HRC for cutting hard and soft wires.



SEALEY

Part No.	SEAK375

Electrical VDE Tool Kit

Screwdrivers:

- Slotted - 3 x 75mm,
- 4 x 100mm,
- 5.5 x 125mm,
- 6.5 x 150mm,
- Phillips - #0 x 75mm,
- #1 x 80mm,
- #2 x 100mm

- 175mm Combination Pliers
- 150mm Side Cutters
- 200mm Long Nose Pliers
- Voltage Tester



SEALEY

Part No.	SES01219

Mini Warning Buzzer



Part No.	Voltage
----------	---------

BAMB12	12V
--------	-----

BAMB24	24V
--------	-----

Dual USB Power Socket

- Voltage 12/24
- Dual 2.1A USB
- Amp 2x1
- Hole mm 29



Part No.

BAPTS2

Fluxed Core Solder 1/16 (16swg)



Part No.

BASOL1

Lighter Accessory Socket

- Voltage 12-24
- Amp 20
- Cap w/
- Resistor w/o
- Light w/o
- DIN norm 53 505
- Connection Terminal



Part No.

BAPTS1

Jump Leads - Medium and Heavy Duty



Fully insulated, flexible, high grade copper.
Heavy duty steel crocodile clips fitted with extra strong spring.

Part No.	Type	Cable Spec	Continuous Amps	Peak Amps
BAJL203	Medium Duty	25mm ² , 3.5m	135A	500A
BAJL355	Heavy Duty	35mm ² , 3.5m	-	600A
BAJL505	Heavy Duty	50mm ² , 4.5m	-	800A
BAJL4	Heavy Duty	25mm ² , 5m	170A	650A
BAJL5	Heavy Duty	35mm ² , 5m	240A	750A
BAJL6	Heavy Duty	50mm ² , 5m	345A	1000A



Vehicle Air-Conditioning Re-Gas

- Removal of refrigerants
- Fresh refrigerant
- Pressure test for leaks
- Operation of system
- Temperature check

Gas type: **R134A** from **£85***

Gas type: **R1234YF** from **£125***

Vehicle Air-Conditioning Re-Gas + Antibacterial Clean

- Removal of refrigerants
- Fresh refrigerant
- Pressure test for leaks
- Operation of system
- Temperature check
- Antibacterial Clean

Gas type: **R134A** from **£95***

Gas type: **R1234YF** from **£135***

Types of air conditioning gas*

The prices above are dependent on the type and amount of refrigerant gas your vehicle uses. There are two main types of gas R134A and R1234YF with R1234YF being more expensive to re-gas.

Which gas does my car use?

Generally, cars manufactured after 2017 require R1234YF gas however the gas was phased in between 2014 and 2016.

If you are unsure which gas your vehicle needs, drop us a message or give us a call.



Bristol: 0117 9712242
Westbury: 01373 859010
www.bae-bristol.co.uk/Air-Conditioning

Automotive Air-Conditioning Components



We can supply Automotive air-conditioning components, consumables and tools for most commercial, agriculture and plant vehicles.

Our qualified mobile auto electricians are able to service vehicle air conditioning systems in addition to carrying out all other auto electrical repairs.



Condensers



Compressors



Heater Motors



Expansion Valves



Receiver Driers/Accumulator



Thermostats



Evaporators



Pressure Switches



Flushing Equipment



O Rings



Blower Resistor



Cooling Fan Radiator

Air-conditioning re-gas price plans for commercial, agriculture and plant

RE-GAS

from **£125**

- ✔ Removal of refrigerants
- ✔ Fresh refrigerant
- ✔ Pressure test for leaks
- ✔ Operation of system
- ✔ Temperature check

RE-GAS + Antibacterial Clean

from **£135**

- ✔ Removal of refrigerants
- ✔ Fresh refrigerant
- ✔ Pressure test for leaks
- ✔ Operation of system
- ✔ Temperature check
- ✔ Antibacterial clean



Bristol: 0117 9712242

Westbury: 01373 859010

www.bae-bristol.co.uk/Air-Conditioning



SCORPIONTRACK

VEHICLE TRACKING & IMMOBILISATION

ScorpionTrack is a brand of **Scorpion Automotive Ltd**

The UK's leading designer and manufacturer of vehicle security and tracking/telematics systems for passenger cars and both light and heavy commercial vehicles.



Family Sharing: You and your family members have the option to add vehicles to a Family Account whilst sharing location data; or set up individual accounts.



All units are **Thatcham Approved** meaning you could benefit from reduced insurance premiums for your vehicle



Multi Vehicle Tracking: Suitable for cars, vans and motorhomes. Motorcycles and quad bikes tracking are available from the Datatool range.



ScorpionTrack S7, S5 and S5+ trackers are **monitored 24/7, all year round**, by our dedicated monitoring team who will liaise with police in the event of theft.



Ultimate accuracy and reliability through GPS, GLONASS and Galileo satellite and GSM technology. Our trackers are also 4g capable, giving you unrivalled global coverage



Customisable **theft alerts** such as early warnings based on ignition, GNSS, ADR tag & battery status – plus alerts if the vehicle is towed or moved using a transporter.



Modes: Avoid false theft alerts by setting Transport Mode when travelling by ferry or Garage Mode when your vehicle is being serviced. Modes can be set via the mobile app.



Live Dashboard: Customisable graphs and charts of journey related data. Private and business mileage to produce reports to check against expenses and HMRC compliance.

96% THEFT RECOVERY RATE

A Geofence is created & starts monitoring when the ignition is turned off

Unauthorised movement without driver tags causes an alert

24/7 Monitoring team track the vehicle and liaise with police in the event of theft



Which plan is right for me?

Check below to see what's included with each tier and pick the one that best suits your needs!









SCORPIONTRACK	S7	S5	S5+
24/7 Theft Monitoring	✓	✓	✓
Thatcham Approved	✓	✓	✓
GPS accurate to within 10 metres	✓	✓	✓
Tow-away & tamper alerts	✓	✓	✓
European coverage included as standard	✓	✓	✓
Low Vehicle Battery Text	✓	✓	✓
ScorpionTrack App Access	✓	✓	✓
Location on demand via the internet or smartphone	✓	✓	✓
Automatic Health Checks	✓	✓	✓
Suitable for 12 volt or 24 volt vehicles	✓	✓	✓
3-Year Warranty	✓	✓	✓
Low Current Draw (<1ma)	✓	✓	✓
Heavy Duty Waterproof	✓	✓	✓
Remote Immobilisation	✗	✗	✓
1x Driver Recognition Tags *	✗	✓	✓
Driver Tag Low Battery Alert	✗	✓	✓
Transferable To New Vehicle	✓	✓	✓


*Spare tags are purchased separately or Automatic Driver Recognition (ADR) can be set up on your phone via the Scorpion Track App, Removing the need for tags.

SCORPIONTRACK APP

The ScorpionTrack mobile app allows you to remotely access and manage security including setting up your phone as a Automatic Driver Recognition Key.

Safety and convenience features including:

-  Vehicle location status updates
-  Activate and deactivate privacy mode
-  Account management and preferences
-  Find my vehicle with directions
-  Enable and disable multiple alert types
-  Touch ID or Pin Code Log-In
-  Select transport garage modes
-  Automatic driver recognition set-up



SCORPIONTRACK	S7	S5	S5+
Unit & fitting cost (excl VAT)	£230	£325	£395
Subscription Prices (inc VAT)			
Monthly Subscription	£12.49	£13.49	£16.99
1 year Subscription	£139	£155	£189
2 year Subscription	£239	£255	£289
3 year Subscription	£329	£345	£379
4 year Subscription	£409	£425	£459
5 year Subscription	£479	£495	£529



Choose a unit: S7, S5 or S5+

If you have any questions give us a call on

0117 9712242



Call Scorpion & pay the subscription

The ScorpionTrack team will work with you to set up a subscription plan that suits you




Arrange a fitting

We can fit your unit at home or at our Bristol and Westbury depots



Download the ScorpionTrack app

Remotely access and manage security including vehicle location and status updates



Actively protects your vehicle against unauthorised movement. As a result, upon any unauthorised movement detection ScorpionTrack will discretely notify the international 24/7 monitoring team control centre of a possible theft.

Providing speed, direction, ignition state, battery condition and location details to the Police control room in the event of a theft. Accurate to within 10 metres, subject to environmental variables.

Thatcham Approved. UK Designed and manufactured to insurance approval and police preferred specification.



Bristol Depot
0117 9712242



Westbury Depot
01373 859010



www.bae-bristol.co.uk



sales@bae-bristol.co.uk



Automotive Garages, Facilities and Mobile Electrical Repairs

Our Depots are based in
St. Philips, Bristol and Westbury, Wiltshire

We have two workshops equipped with the latest diagnostics tools to enable us to deal with fault finding and auto electrical repairs.

We also have auxiliary equipment for installation on both car and commercial vehicles.

Bristol Auto Electrical,
Unit D, 129 Albert Rd.
St Philips,
Bristol
BS2 0YA

Bristol Auto Electrical,
130A&B Engineer Rd,
West Wilts Trading Estate,
Westbury, Wiltshire,
BA13 4JW